



# भारतीय सूचना प्रौद्योगिकी संस्थान, इलाहाबाद Indian Institute of Information Technology, Allahabad

An Institute of National Importance by Act of Parliament  
Deoghat, Jhalwa, Allahabad-211015 (U.P.) INDIA

Ph.: 0532-2922025, 2922067, Fax : 0532-2430006, Web : www.iiita.ac.in, E-mail : contact@iiita.ac.in

**Ref. No. :** IIIT-A/LTE/FIP/53/037/ 2018

**Date:** 13<sup>th</sup> April 2018

## **Limited Tender Notice**

**(For those vendors, qualified in EOI ref. no. IIIT-A/EOI/DR(S&P)/268/2017, dated-13/10/2017)**

Sealed tenders are invited for the **Procurement of Office Furniture** initiated through EOI ref. no. IIIT-A/EOI/DR(S&P)/268/2017, dated-13/10/2017 at Indian Institute of Information Technology, Allahabad. The detailed specifications and terms & conditions are given in **Annexure I, II, III, IV & V (list of qualified vendors)**. Tender document may be downloaded from the Institute website www.iiita.ac.in. Only those vendors which are technically qualified in EOI ref. no. IIIT-A/EOI/DR(S&P)/268/2017, dated-13/10/2017 are eligible to participate in bidding. List of qualified bidders with reference to above EOI are placed at **Annexure- V**.

**Issue Date of Limited tender Enquiry** May 08, 2018

**Last date of submission of bids** upto 12:00 noon of May 08, 2018

**Opening of financial Bids** 3:30 PM on May 08, 2018

You are requested to submit the quotation by courier/speed post with complete details of specifications, terms & conditions, warranty/guarantee etc. Quotation should be submitted with name of the tender, ref. number and closing date subscribed on the top of the envelope addressed to the Faculty In-charge Purchase, IIIT-Allahabad upto **08/05/2018 at 12:00 noon**. Tenders duly sealed may also be dropped in the tender box placed in the office of the Faculty In-charge Purchase, IIIT-Allahabad. Basic rate, taxes and freight charges etc. must be quoted separately, F.O.R. destination at IIIT-A, Jhalwa, Allahabad.

The financial bid received in prescribed proforma will be opened in the presence of the tenderers, or authorized representatives interested to be present, on **08/05/2018 at 03:30 P.M.**

**Faculty In-charge Purchase**

**Copy to:**

➤ **PS to Director - for kind information of Hon'ble Director.**

## Annexure-I

(On letter head of the Firm & in a separately sealed envelope)

### PROFORMA FOR APPLICATION

1. Name of the firm:- .....
2. Address of the firm:- .....
3. Phone Number (With Code):- .....
4. Proprietor's name: - .....
5. Address of Proprietor: - .....
6. Proprietor's Phone No. :- .....
7. Email Id: .....
8. Details of the firm:-
  - (a) Date from which the firm is operating: - .....
  - (b) Turnover of the firm during: - FY 2015-16 (Rs.).....  
FY 2016-17 (Rs.).....

**(Please attach documentary evidence)**

  - (c) PAN No. :- .....
  - (d) GST No. :- .....
  - (e) Service Tax Registration No. (If any):-.....

9. **E.M.D.** : The tenders should be accompanied in a form of a **Demand Draft/FDR** or **Bank Guarantee** in favour of **Indian Institute of Information Technology Allahabad** payable at **Allahabad** (Any bid without EMD will not be considered). EMD should be enclosed with Bid document in a separate envelop. The EMD will be returned to the unsuccessful bidders within 15 days and to the **successful bidders have to submit bank guarantee of 10% of total value, valid beyond 2 months of warranty period.**

#### **10. Amount of EMD as below:**

Sl. No	Description	EMD Amount	DD No./FDR Date
1.	<b>Procurement of Office Furniture</b>	<b>Rs.3,00,000/-</b>	

## Annexure-II

### General Terms and Conditions of the Tender

1. Kindly mention tender number, subject, due date, contact address etc., on your quotation. Incomplete quotation will not be accepted.
2. **Warranty:** Minimum warranty of furniture must be at least 05 years.
3. **Security Deposit:** L1 bidder will have to submit Bank Guarantee/FDR of 10% of total contract value from Nationalized Bank against performance bank guarantee. Above amount shall be taken as a security deposit valid beyond 2 months of warranty period. EMD will be released after receiving of Bank Guarantee/Demand Draft.
4. **Delivery Schedule:** The supply and Installation period of furniture shall commence from the date of issue of confirm purchase order and completion period should be strictly 10-12 weeks.
5. **Payment:** Payment will be made within 15 days after acceptance of delivery of material, Installation and satisfactory report. The payment shall be made through RTGS only and the contractor is required to furnish the "BANK DETAILS" for the same. The deduction of the TDS, etc., shall be made as per the existing norms.
6. **Penalty:** If the supply delayed beyond the stipulated time of completion of supply, penalty of 1% per weeks and maximum upto 10% of the total cost may be imposed at the discretion of competent authority.
7. Upon verification, evaluation/assessment, if in case any information furnished by the Bidder is found to be false / incorrect, their bid shall be summarily rejected and no correspondence on the same shall be entertained. It is the responsibility of bidder to verify the authenticity of any third party document being submitted as part of the eligibility requirements. EMD will be forfeited if any forged or false document is submitted.
8. **Exemption:** The institute is exempted from custom in terms of notification No. 51/96-custom dated 23/07/96 and is a University established under M.H.R.D. Govt. of India. Certificate to this if, required shall be provided by the Institute.
9. **Price Basis & applicable Tax claim:** Price should be quoted by interested tenderer is inclusive of all up to F.O.R. IIIT-A, Allahabad basis. Vendor should clearly mention the Rate of applicable GST Tax separately, if firm will not mentioned the Taxes clearly on their Price Quotation, IIIT - Allahabad will assume that the quoted price is inclusive of all and no extra amount in later stage shall be paid by IIIT, Allahabad on account of Taxes. The Institute shall not be responsible for any kind of delay/postal delay in submission of the tender. Bid received after the scheduled time will not be considered.
10. If it is found that items are fake or of sub-standard quality and not conforming to the required specifications, the firm will have to replace the fake/ sub-standard items with genuine ones immediately but they will also be liable to be blacklisted.
11. Rate quoted by the firm should not be higher than the MRP/ prevailing market rate.
12. If any damage is done to the Institute's during installation of furniture by the Contractor, the same shall be recovered from the Contractor. Therefore proper care must be taken and experienced /qualified persons should be deputed on the job to ensure safety of the man and materials. The suitable penalty shall be imposed on any misconduct default, damages caused to the Institute due to negligence of contractor.
13. Conditional tender are liable to be rejected. Any alteration / overwriting / cutting in the bid should be duly countersigned else it will be out rightly rejected. In the event of acceptance, Director's decision will be final. The rates should be quoted as per our required specifications.
14. The rates should be quoted in Indian rupees. Evaluation of offers will be made on the basis of total amount of all items inclusive of all charges, taxes, duties, etc., for the indicated quantity in the attached format. Rate for all the items is to be quoted by the tenderer. In case of any item has not been quoted by any bidder that bid for such items will be loaded with the highest rate received for that item as evaluation is to be done on the total amount of all the items for the indicated quantity. However, while awarding the rate contract successful bidder has to supply all the items and for those items for which bidder has not

quoted the rates will get the lowest rate received in the tender. Every bidder has to agree to this condition failing which its offer will not be considered for award of work.


15. The right to accept or reject any tender/ quotation, partially or wholly, including lowest quotation without assigning any reason whatsoever thereof or incurring any liability thereby is reserved with the Director, IIIT, Allahabad. The Director, also reserves the right to split the tender and place the orders for supply of item(s), mentioned in the tender on one or more tenderer. The decision of the Director, with regard to enforcement of these terms and conditions herein contained, as a result of breach of these conditions by successful Tenderer/s, shall be final and the Director, shall not be liable for any damage/liability put forth by the Tenderers at any stage of the transaction arising out of the enforcement of any or all herein contained terms and conditions.
16. The quantity shown in this tender is only approximate requirement and is subject to alteration at the time of placing the supply order and during the pendency of the quotation it will be binding on the part of the successful Tenderers to honour and comply with such orders placed by this Institute.
17. All the documents submitted must be legible and self attested. Otherwise it is likely to be rejected.
18. In case the firm fails to complete the job within maximum specified period, Institute reserves the right to get the job done by any other firm and the difference of cost if any, will be recovered from the defaulting firm.
19. The EMD shall be returned to the bidder (s) whose offer is not accepted by the Institute within 15 days after finalization and award of the contract without any interest. Unsuccessful bidders may collect the EMD (within next 10 days after finalization & award of the contract) from Store and Purchase Section, IIIT-A between 3PM to 5PM on any working day after providing a copy of any Photo Identity Card. After these 10 days EMD will be sent by registered post to the postal address provided by the firm/bidder at point no.21. Representative may also collect the EMD on behalf of the bidder, after providing an authorization letter from the bidder along with a copy of his photo identity card. If the return of EMD is delayed for any reason, no interest/penalty shall be payable to the bidder.
20. Tenderers responding to this tender shall be deemed to be agreeable to the terms and conditions herein contained. These terms and conditions shall be binding on the part of the successful tenderer.
21. **Complete Postal address of tenderer/bidder along with email id & mobile number (to dispatch the EMD to unsuccessful bidder):**

---

---

---

---



22. Tender must be quoted in prescribe format on the company/firm letter head.
23. **Tenderer should take into account any corrigendum published on the Tender document before submitting their bids. All such corrigendum will be placed on IIIT-A website [www.iiita.ac.in](http://www.iiita.ac.in) Intending tenderers are advised to visit [www.iiita.ac.in](http://www.iiita.ac.in) for regular update, if any, till the closing date of tender for any corrigendum/ addendum/ amendment. IIITA will not be responsible for ignorance of corrigendum.**
24. If any defect is found in transit it will be the sole responsibility of the supplier to get is corrected and installed as desired by the user.
25. Quoted rate should be valid at least for 03 months.
26. The firm/company's black listed at any stage need not to apply.
27. All pages of the tender documents are to be signed and stamped by the tendering firm.
28. Director, Indian Institute of Information Technology, Allahabad reserves the right to reject or accept any tender.
29. Director, Indian Institute of Information Technology, Allahabad will be the sole arbitrator of all the dispute and his decision will be binding on both the parties.

30. Director, Indian Institute of Information Technology, Allahabad reserves the right to alter/modify any or all conditions of this tender notice.
31. Quotation should be addressed to Faculty In-charge Purchase, Indian Institute of Information Technology, Deoghat, Jhalwa Allahabad-211012 (U.P.) India.
32. All disputes are subject to Jurisdiction of Allahabad.


**For any query pertaining to this bid correspondence may be addressed to**

**Faculty In-Charge Purchase  
Indian Institute of Information Technology  
Deoghat, Jhalwa, Allahabad  
Phone : +91 0532-2922051.  
E-mail: [info.purchase@iiita.ac.in](mailto:info.purchase@iiita.ac.in)**

**Faculty In-charge Purchase**

I/We duly certified that the information provided in the proforma is true. I/We agree to the contents of terms & condition of the quotation/tender.

**Seal and Signature of the Proprietor/Authorized Representative**

A handwritten signature in black ink, consisting of a series of loops and a long horizontal stroke at the bottom.

**Annexure-III**

**Declaration by the Vendor**

It is hereby declared that I/We the undersigned, have read and examined all the terms and conditions etc. of the tender document for which I/We have signed and submitted the tender under proper lawful Power of Attorney. It is also certified that all the terms and conditions of the tender document are fully acceptable to me/us and I/We will abide by the stated conditions and requirements of the tender (including those from Corrigendum, if any) and we have not given any printed conditions beyond the scope of this tender.

**Date:**

**Signature:**

**Address:**

**Name:**

A handwritten signature in black ink, consisting of a stylized 'R' followed by a horizontal line and a vertical line extending downwards.

**Annexure-IV**


**Financial Bid**

**(On letter head of the Firm & in a separately sealed envelope)**

**Supply of furniture's**


S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
1	<b>MAIN TABLE WITH SIDE UNIT</b>			
	Supplying and placing in position of Table as per photograph. The main desk of size 2200mm (L) X 900mm (D) X 760mm (H) table top and one side panel shall be made out of 60mm thick commercial ply of MR grade including with 3.00 mm to 4.00 mm thick veneer and contained the thickness of table top shall be 60mm center to center and from all sides of the table top and modesty panel for extra look, veneer portion shall be finished with melamine. Fixed sides unit size 1800mm L x 550mm D x 610mm H shall be attached from one side with table top, side unit having a provision for one shutter, two drawers and two open shelf's for storage. The shutter and drawers shall be made from 18/19 mm thick commercial ply of MR grade and backing shall be 6 mm thick ply of MR grade. Side unit back shall be made out of 60mm thick commercial ply of MR grade including with 3.00 mm to 4.00 mm thick veneer and contained the thickness of table top shall be 60mm center to center and from all sides. Side unit finish shall be matching with table top. Veneer portion shall be finished with melamine. Mobile Drawer unit size is 600mm (H) x 450mm (D) x 450mm (W) having a combination of 3 drawers shall be made of 18/19 mm thick commercial ply of MR grade and backing shall be 6 mm thick ply of MR grade. Provision of Storage with handles and centralized locking arrangement. All Veneer portion shall be finished with melamine. Balance laminate shall be minimum 0.8 mm thick.	06		

**Sample Photograph:**



S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
2	<b>BACK STORAGE</b>			
	<p>Supplying and placing of factory made 450 deep back unit as per drawings. Storage Size :(L)2000mm X (D)400mm X (H)2000mm. Storage sides, top, bottom and shelves shall be made of 18/19 mm thick commercial ply of MR grade and backing shall be 6 mm thick ply of MR grade. Storage shutters shall be made of 18/19 mm thick commercial Ply of MR grade. All exposed surface of Storage unit shall be finished with 3.00 mm to 4.00 mm thick of approved veneer with melamine finish and balance laminate shall be minimum 0.8 mm thick. All exposed edges of ply to be finished with 2 mm thick PVC lipping of approved make. Cupboard have all necessary hardware/ fittings such as soft close hinges, tower bolts, handles, magnetic catcher etc. of approved quality.</p>	06		

**Sample Photograph:**





S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
3	<b>MAIN CHAIR</b>			
	<p>Supplying, and placing in position of 360 degree high back revolving chair as per Image. Providing and placing in position Medium mesh back chair. The seat shall be made of 1.2 ±0.1cm thick hot pressed BWR grade (IS - 303) plywood &amp; upholstered with fabric and Polyurethane foam. The back frame of the chair shall be made of polypropylene and covered with breathable mesh fabric. Dimensions of Back shall be: 46.0cm (W) x 74.5cm(H) and Seat : 46.0cm(W) x 47.0cm(D). The seat of the chair having polyurethane foam with Density= 35 ±2 kg/m<sup>3</sup>. The Chair is provided with a Lumbar support assembly which consists of a height adjustable cushioned lumbar support pad which can be adjusted at the rear side of the back. The Lumbar pad can be adjusted by 6.0+/-0.5cm in height. The chair is featured with 360° revolving type, multi locking position mechanism, tilt tension adjustment which can be operated in seating position. The pneumatic height adjustment shall have an adjustment of 10.0 ±0.3cm. The pedestal shall be of aluminum dia cast / chrome plated base and fitted with 5 nos. twin wheel castors. The pedestal shall be 66.1 ±0.5cm.pitch-center dia (76.1 ±1.0cm with castors).</p>	132		

**Sample Photograph:**




S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
4	<b>VISITOR CHAIR</b>			
	<p>Supplying &amp; Placing in position of fixed back chair as per photograph. Chair overall Size:- (W)610-630mm X (D)530-550mm X (H)1010-1030mm. chair back in Mesh with curved design and seat are made up of 12mm thick hot pressed ply wood upholstered in fabric with molded foam. The back shall be having contoured lumbar support for extra comfort. The arm rest should be made up of black integral skin polypropylene with 50-70 Shore "A" hardness reinforced with MS insert, armrest is scratch and whether resistant. The arm rest should be fitted only with seat made of 5mm of HR steel. The under structure shall be made out of tubular frame of cantilever type in powder coated finish.</p>	339		

**Sample Photograph:**




S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
5	<b>THREE SEATER SOFA</b>			
	<p>Supplying and placing in position of three seator sofa as per image. The contemporary designed sofa of Size :- (L)1760mm X (D)720mm X (H)845mm is made in an option of camel brown or avocado green premium leatherette, this sofa is sleek and comfortable. The sleek frame is finished in a rich brown polish with split panel seating. The back and seat have medium to firm cushioning for better posture. The Jesse Sofa made for compact, and stylish seating. Seat of Sofa is layered with silicon fiber filling over high density foam. The seat cushion is made of multi layered foam of density 32(+/-2kg /m3). The seating cushions have 2.75 &amp; 1.75 inches of elastic webbing. The thread used is nylon bonded to provide lasting stitch strength.</p>	57		

**Sample Photograph:**




S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
6	<b>TWO SEATER SOFA</b>			
	<p>Supplying and placing in position of two seater sofa as per image. The contemporary designed sofa of Size :- (L)1200mm X (D)720mm X (H)845mm is made in an option of camel brown or avocado green premium leatherette, this sofa is sleek and comfortable. The sleek frame is finished in a rich brown polish with split panel seating. The back and seat have medium to firm cushioning for better posture. The Jesse Sofa made for compact, and stylish seating. Seat of Sofa is layered with silicon fiber filling over high density foam. The seat cushion is made of multi layered foam of density 32(+/-2kg /m3). The seating cushions have 2.75 &amp; 1.75 inches of elastic webbing. The thread used is nylon bonded to provide lasting stitch strength.</p>	57		

**Sample Photograph:**




S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
7	<b>CENTER TABLE</b>			
	<p>Supplying and placing in position of centre table as per Photograph. The Amber coffee and center table of Size :- (L)1200mm X (W)800mm X (H)410mm is a contemporary masterpiece, made for your living spaces. The rectangular table is finished in a natural beech finish and made from the best quality solid wood we can find. The table top boasts a sleek gloss finish with three mahogany finish stripe panels also made from wood. The table stands on a broad base with solid wood legs that provide support and add to its style.</p>	69		

**Sample Photograph:**




S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
8	<b>SIDE TABLE</b>			
	<p>Supplying and placing in position of side table as per Photograph. The Amber side table of Size: (L)660mm X (W)660mm X (H)500mm is a contemporary masterpiece, made for your living spaces. The rectangular table is finished in a natural beech finish and made from the best quality solid wood we can find. The table top boasts a sleek gloss finish with three mahogany finish stripe panels also made from wood. The table stands on a broad base with solid wood legs that provide support and add to its style.</p>	57		

**Sample Photograph:**




S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
9	<b>MAIN TABLE WITH SIDE UNIT</b>			
	<p>Supplying and placing in position of Table as per photograph. The main desk of size 1800mm (L) X 750mm (D) X 760mm (H) table top and one side panel shall be made out of 60mm thick commercial ply of MR grade including with 3.00 mm to 4.00 mm thick veneer and contained the thickness of table top shall be 60mm center to center and from all sides of the table top and modesty panel for extra look, veneer portion shall be finished with melamine. Fixed sides unit size 1650mm L x 550mm D x 610mm H shall be attached from one side with table top, side unit having a provision for one shutter, two drawers and two open shelf's for storage. The shutter and drawers shall be made from 18/19 mm thick commercial ply of MR grade and backing shall be 6 mm thick ply of MR grade. Side unit back shall be made out of 60mm thick commercial ply of MR grade including with 3.00 mm to 4.00 mm thick veneer and contained the thickness of table top shall be 60mm center to center and from all sides. Side unit finish shall be matching with table top. Veneer portion shall be finished with melamine. Mobile Drawer unit size is 600mm (H) x 450mm (D) x 450mm (W) having a combination of 3 drawers shall be made of 18/19 mm thick commercial ply of MR grade and backing shall be 6 mm thick ply of MR grade. Provision of Storage with handles and centralized locking arrangement. All Veneer portion shall be finished with melamine. balance laminate shall be minimum 0.8 mm thick.</p>	48		

**Sample Photograph:**



S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
10	<b>BACK STORAGE</b>			
	<p>Supplying and placing of factory made 450 deep back unit as per drawings. Storage Size : (L)1800mm X (D)400mm X (H)2000mm. Storage sides, top, bottom and shelves shall be made of 18/19 mm thick commercial ply of MR grade and backing shall be 6 mm thick ply of MR grade. Storage shutters shall be made of 18/19 mm thick commercial Ply of MR grade. All exposed surface of Storage unit shall be finished with 3.00 mm to 4.00 mm thick of approved veneer with melamine finish and balance laminate shall be minimum 0.8 mm thick. All exposed edges of ply to be finished with 2 mm thick PVC lipping of approved make. Cupboard have all necessary hardware/ fittings such as soft close hinges, tower bolts, handles, magnetic catcher etc. of approved quality.</p>	48		


**Sample Photograph:**





S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
11	<b>MAIN TABLE WITH SIDE UNIT</b>			
	<p>Supplying and placing in position of Table as per photograph. The main desk of size 1200mm (L) X 600mm (D) X 760mm (H) table top and one side panel shall be made out of 25mm thick commercial ply of MR grade including with 3.00 mm to 4.00 mm thick veneer and contained the thickness of table top shall be 25mm center to center and from all sides of the table top and modesty panel for extra look, veneer portion shall be finished with melamine. Fixed Drawer unit size is 725mm (H) x 450mm (D) x 400mm (W) having a combination of 3 drawers shall be made of 18/19 mm thick commercial ply of MR grade and backing shall be 6 mm thick ply of MR grade. All Veneer portion shall be finished with melamine. Balance laminate shall be minimum 0.8 mm thick.</p>	02		


**Sample Photograph:**



A handwritten signature or mark, possibly a stylized 'S' or 'J', located in the bottom right corner of the page.


S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
12	<b>MAIN TABLE</b>			
	<p>Main Desk - 1 size shall be 1500 Width x 800 Depth x 750 Height. The Top shall be Laminated 36 mm thick with 2 mm lipping all around. The 36 mm top shall comprise of 18 mm PLT + 18 mm PLB Baton. Understructure shall be MS Frame of Rec. Tube 40 x 20 x 1.6 thick with CRMS 3 thick Plates for bolting the leg. Legs shall be MS ERW round tube of dia. 50 x 1.6 mm thick. Modesty &amp; Side Panel shall be of Perforated MS sheet of 0.9 mm thick and joining plates shall be CRMS 3 thick plated to join main desk with ERU. ERU - 1 size shall be 1200 Width x 600 Depth x 750 Height. The Top shall be Laminated 36 mm thick with 2 mm lipping all around. The 36 mm top shall comprise of 18 mm PLT + 18 mm PLB Baton. Understructure shall be rec. Tube 40 x 20 x 1.6 mm thick. Legs shall be MS ERW round tube of dia. 50 x 1.6 mm thick. Modesty &amp; side panel shall be of Perforated MS sheet of 0.9 mm thick.</p>	43		

**Sample Photograph:**




S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
13	<b>VISITOR CHAIR</b>			
	<p>Supplying and placing in position of 360 degree Medium mesh back chair as per image. The seat shall be made of 1.2 ±0.1cm thick hot pressed BWR grade (IS - 303) plywood &amp; upholstered with fabric and Polyurethane foam The back frame of the chair shall be made of polypropelene and covered with breathable mesh fabric. Dimensions of Back shall be : 46.0cm(W) x 50.0cm(H) and Seat : 46.0cm(W) x 47.0cm(D). The seat of the chair having polyurethane foam with Density= 35 ±2 kg/m3. The armrests shall have only Up-Down adjustment .6.0±0.5cm which shall be provided in armrest structure. The chair shall be visioned with height adjustable armrest and any position locking arrangement. The Chair is provided with a Lumbar support assembly which consists of a height adjustable cushioned lumbar support pad which can be adjusted at the rear side of the back. The Lumbar pad can be adjusted by 6.0+/-0.5cm in height. The chair is featured with 360° revolving type, multi locking poistion mechanism, tilt tension adjustment which can be operated in seating position. The pneumatic height adjustment shall have an adjustment of 10.0 ±0.3cm. The pedestal shall be of chrome plated base and fitted with 5 nos. twin wheel castors. The pedestal shall be 66.1 ±0.5cm.pitch-center dia (76.1 ±1.0cm with castors).</p>	407		

**Sample Photograph:**



S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
14	<b>STORAGE</b>			
	<p>Supplying and placing of factory made 400 deep back unit as per drawings. Storage Size :- (L)800mm X (D)400mm X (H)2000mm. Storage sides, top, bottom and shelves shall be made of 18/19 mm thick commercial ply of MR grade and backing shall be 6 mm thick ply of MR grade. Storage shutters shall be made of 18/19 mm thick commercial Ply of MR grade. All exposed surface of Storage unit shall be finished with 3.00 mm to 4.00 mm thick of approved veneer with melamine finish and balance laminate shall be minimum 0.8 mm thick. All exposed edges of ply to be finished with 2 mm thick PVC lipping of approved make. Cupboard have all necessary hardware/ fittings such as soft close hinges, tower bolts, handles, magnetic catcher etc. of approved quality.</p>	91		


**Sample Photograph:**



*R*



S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
15	<b>DISCUSSION ROOM</b>			
	<p><b>Size :- L-900mm Dia x H-750mm</b></p> <p>Supplying, and placing in position of modular table as per image. Table top made shall be made of 18/19 mm thick commercial ply of MR grade. All working or non working edges will be PVC banding using special hot melt glue. Table top supported with CRCA MS powder coated square shape legs (50 x 50mm) &amp; minimum 1.2mm thickness. The complete metal structure made of minimum 1.2mm thick CRCA MS powder coated with minimum 50 microns. All CRCA components must be powder coated as per IS : 13872-1994 after 7 tank pre-treatment process flow i.e degreasing , water rinsing, Derusting , water rising , phosphating , Water rinsing, passivation. CRCA pipe/tube (IS -513) and backing shall be 6 mm thick ply of MR grade. All Veneer portion shall be finished with melamine. Balance laminate shall be minimum 0.8 mm thick.</p>	06		

**Sample Photograph:**




S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
16	<b>MEETING HALL TABLE</b>			
	<p><b>Size :- L-5850mm x D-2100mm x H-750mm</b>  Supplying and placing in position of confrence table as per image. The conference table with each table of 600mm depth and 750mm height. Table shall be made out of 60mm thick commercial ply of MR grade including with 3.00 mm to 4.00 mm thick veneer and contained the thickness. All working and non working edges shall be finished with Veneer edgbanding matching shade. The modesty and side panel shall be made from 18/19 mm thick commercial ply of MR grade. All Veneer portion shall be finished with melamine. balance laminate shall be minimum 0.8 mm thick</p>	06		

**Sample Photograph:**




S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
17	<b>BOARD ROOM</b>			
	<p><b>Size:- L-8100mm x D-2100mm x H-750mm</b>            Supplying and placing in position of conference table as per photograph. The conference table having depth for each seating 600mm and 750mm height. Table shall be made out of 60mm thick commercial ply of MR grade including with 3.00 mm to 4.00 mm thick veneer and contained the thickness. All working and non working edges shall be finished with Veneer edgbanding matching shade. The side panel shall be made from 36mm thick commercial ply of MR grade and modesty shall be made from 18/19mm thick commercial ply of MR grade. All Veneer portion shall be finished with melamine and balancing laminate shall be minimum 0.8 mm thick. There is a provision for electric race ways for data and electric wiring flow. Table have cutouts for tft screen and cover with 7 to 8mm glass.</p>	01		

**Sample Photograph:**



S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
18	<b>WAITING AREA SOFA</b>			
	<p>Supplying and placing in position of waiting sofa as per photograph. Overall height 790-800mm, overall width 1800mm, overall depth 630 mm, seat and back shall be made of single piece in metal perforated sheet with chrome finish. Waiting sofa shall be designed with contoured lumbar support and leatherette padding on seat and back for extra comfort. Sofa seat and back shall be fixed on square shape metal beam size 80mm x 40mm finished with black powder coated and legs/arms in chrome finish.</p>	28		

**Sample Photograph:**



H



S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
19	<b>BOARD ROOM MAIN CHAIR</b>			
	<p>Supplying and placing in position of chair as per photograph. Overall height 1270mm max, 1120 min, overall width 673mm, overall depth 508mm, seat size 510mm (W) x 490mm (D) and back size 530mm (W) x 740mm (H), seat and back are made up of 12mm thick hot pressed two piece ply wood upholstered with leather and molded with polyurethane foam. Chair back plywood shall be designed with contoured lumbar support for extra comfort. The chair shall have an single locking center tilt mechanism with 17 degree max. tilt and tilt tension adjustment and full 360 degrees swivel. The one piece arm rest should be made up of solid designer wood and polished with matching colour. The leather patch fixed on wooden arms. The arm rests are fitted to the seat and back with 6mm dia. and 64mm long screw made of HR steel. The prong (base) is made of wooden and fitted with 5nos. twin wheel castors (castor wheel dia. 50mm). The prong (base) is 700mm pitch center dia (740mm with castors). The telescopic bellows is 3 piece telescopic type and injection molded in black polyurethane. The pneumatic height adjustment shall have adjustment stroke of 75mm and shall be operated at 30kgs extension force.</p>	01		

**Sample Photograph:**




S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
20	<b>BOARD ROOM VISITOR CHAIR</b>			
	<p>Supplying and placing in position of Mid Back Chair as per photograph. Overall height 960mm, overall width 590mm, overall depth 650mm, seat size 510mm (W) x 480mm (D) and back size 510mm (W) x 500mm (H), seat and back are made up of 12mm thick hot pressed two piece ply wood upholstered with leather and molded with polyurethane foam. Chair back plywood shall be designed with contoured lumbar support for extra comfort. The chair shall have a single locking center tilt mechanism with 17 degree max. tilt and tilt tension adjustment and full 360 degrees swivel. The one piece arm rest should be made up of solid designer wood and polished with matching colour. The leather patch fixed on wooden arms. The arm rests are fitted to the seat and back with 6mm dia. and 64mm long screw made of HR steel. The prong (base) is made of wooden and fitted with 5nos. twin wheel castors (castor wheel dia. 50mm). The prong (base) is 700mm pitch center dia (740mm with castors). The telescopic bellows is 3 piece telescopic type and injection molded in black polyurethane. The pneumatic height adjustment shall have adjustment stroke of 75mm and shall be operated at 30kgs extension force.</p>	23		

**Sample Photograph:**



S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
21	<b>THREE SEATER SOFA</b>			
	<p>Supplying and placing in position of three seater sofa as per image. The contemporary designed size :- (L)1860mm X (D)700mm X (H)810mm, is built on a solid wood frame with stylized arms. The broad base frame provides ample room for the sumptuous cushions upholstered in fabric. The dark fabric coupled with the walnut finish of the wood. The frame has a gentle recline for a comfortable seating position. The seat cushion is made of multi layered foam of density 32(+/-2kg /m3). The seating cushions have 2.75 &amp; 1.75 inches of elastic webbing. The thread used is nylon bonded to provide lasting stitch strength.</p>	11		


**Sample Photograph:**



A handwritten signature or mark, possibly a stylized 'R' or 'S', located in the bottom right corner of the page.

S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
22	<b>TWO SEATER SOFA</b>			
	<p>Supplying and placing in position of two seater sofa as per image. The contemporary designed size :- (L)1590mm X (D)700mm X (H)810mm, is built on a solid wood frame with stylized arms. The broad base frame provides ample room for the sumptuous cushions upholstered in fabric. The dark fabric coupled with the walnut finish of the wood. The frame has a gentle recline for a comfortable seating position. The seat cushion is made of multi layered foam of density 32(+/-2kg /m3). The seating cushions have 2.75 &amp; 1.75 inches of elastic webbing. The thread used is nylon bonded to provide lasting stitch strength.</p>	22		


**Sample Photograph:**



A handwritten signature or mark, possibly initials, located in the bottom right corner of the photograph area.

S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
23	<b>OFFICE TABLE WITH DRAWER</b>			
	<p>Supplying and placing in position of Table as per photograph. The main desk of size 1200mm (L) X 600mm (D) X 760mm (H) table top and one side panel shall be made out of 25mm thick commercial ply of MR grade including with 3.00 mm to 4.00 mm thick veneer and contained the thickness of table top shall be 25mm center to center and from all sides of the table top and modesty panel for extra look, veneer portion shall be finished with melamine. Fixed Drawer unit size is 725mm (H) x 450mm (D) x 400mm (W) having a combination of 3 drawers shall be made of 18/19 mm thick commercial ply of MR grade and backing shall be 6 mm thick ply of MR grade. All Veneer portion shall be finished with melamine. balance laminate shall be minimum 0.8 mm thick.</p>	51		

**Sample Photograph:**



*[Handwritten signature]*

S. no.	Items Description	Qty	Unit Price In Rs.	Total amount in Rs.
24	<p><b>CONFERENCE TABLE</b></p> <p><b>Size:- L-3000mm x D-1200mm x H-750mm (1 unit) L-2100mm x D-900mm x H-750mm (3 unit).</b></p> <p>The top of talk Membrane shall be 25 mm thick base material shall be 25 mm MDF board plus 0.4 mm PVC membrane foil using wrap around technology. The foil is pre - coated with PU layer for better scratch and wear resistance. 0.6 mm balancing laminate on bottom surface. The Squeeze Leg Assembly shall be nickel chrome plated made from Dia 50.8 x 1.6 mm thick MS ERW tube. Leg Assembled together with a plastic glide at bottom and a powder coated leg connector made from aluminum alloy at top. Cross Member and connectors shall be powder coated cross member made from 1.5 mm thick aluminum extrusion fixed with work surface by plastic molded table support connector. Powder coated connectors made from Aluminum alloy fixed at both ends of cross members. Squeeze Leg Assembly and connectors are assembled together to strengthen complete understructure. Laminate Modesty shall be 18 mm thick base material shall be 16 mm Plain particle board. Post - Laminated with 0.6 mm Top laminate on either side also there shall be 2 mm thick PVC edge banding of matching color on outer edges of modesty. Work surface and Modesty are assembled together with powder coated Modesty bracket made from 2 mm thick MS sheet. Metal Perforated Modesty shall be 18 mm thick Powder coated metal perforated modesty with stiffener made from 0.8 mm thick MS sheet. Work surface and Modesty are assembled together with powder coated Modesty bracket made from 2 mm thick MS sheet. The Access Flap and Switch Mounting Tray shall be made from Matt silver anodized aluminum extrusion and plastic molded components to facilitate access of electrical/ data /voice sockets access from top . Powder coated switch mounting tray made from 0.8 mm and 1.5 mm MS sheet. Switches to be mounted on tray as per requirement</p>	04		

**Sample Photograph:**




	<b>Total Amount (1 to 24)</b>			
	Taxes (GST)-			
	<b>Grand Total-</b>			

**Read and accepted**

**Faculty In Charge Purchase**

**Signature & stamp of Bidder or  
Authorized Signatory**



(to be printed on Supplier's letterhead)

## INTEGRITY PACT

### GENERAL

This pre-bid pre-contract Agreement hereinafter called the Integrity Pact is made on ..... day of the month of ....., between, on one hand, the **Indian Institute of Information Technology, Allahabad** acting through Faculty In Charge, Purchase, of Indian Institute of Information Technology, Allahabad hereinafter called the "BUYER" of the First Part and M/s..... represented by Shri ....., Director /Chief Executive Officer/ General Manager / Proprietor hereinafter called the "BIDDER/Seller" of the Second Part.

WHEREAS the BUYER proposes to procure .....

(Name of the Stores/Equipment/Item) and the BIDDER/Seller is willing to offer/has offered the stores and WHEREAS the BIDDER is a private company/public company/Government undertaking/ partnership/ registered export agency, constituted in accordance with the relevant law in the matter and the BUYER is a Autonomous Body/Department of the Government of India performing its functions on behalf of the President of India.

NOW, THEREFORE,

to avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to :-

Enabling the BUYER to obtain the desired said stores / equipment at a competitive price in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement, and

Enabling BIDDERS to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and the BUYER will commit to prevent corruption, in any form, by its officials by following transparent procedures.

The parties hereto hereby agree to enter into this Integrity Pact and agree as follows:



## **COMMITMENTS OF THE BUYER**

- 1.1 The BUYER undertakes that no official of the BUYER, connected directly or indirectly with the contract, will demand, take a promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person, organization or third party related to the contract in exchange for an advantage in the bidding process, bid evaluation, contracting or implementation process related to the Contract.
- 1.2 The BUYER will, during the pre-contract stage, treat all BIDDERS alike, and will provide to all BIDDERS the same information and will not provide any such information to any particular BIDDER which could afford an advantage to that particular BIDDER in comparison to other BIDDERS.
- 1.3 All the officials of the Buyer will report to the appropriate Government office any attempted or completed breaches of the above commitments as well as any substantial suspicion of such a breach.
2. In case any such preceding misconduct on the part of such official (s) is reported by the BIDDER to the BUYER, with full and verifiable facts and the same is prima facie found to be correct by the BUYER, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by the BUYER and such a person shall be debarred from further dealings related to the contract process. In such a case while an enquiry is being conducted by the BUYER the proceedings under the contract would not be stalled.

## **COMMITMENTS OF BIDDERS :**

3. The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following:
  - 3.1 The BIDDER will not offer, directly or through intermediaries, any bribe, consideration, gift, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BUYER, connected directly or indirectly with the bidding process, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the Contract.
  - 3.2 The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BUYER or otherwise in procuring the Contract or forbearing to do or having done any act in relation to the obtaining or execution of the Contract or any other Contract with the Government for showing or forbearing to show favour or

disfavour to any person in relation to the Contract or any other Contract with the Government.

- 3.3 BIDDERS shall disclose the name and address of agents and representatives and Indian BIDDERS shall disclose their foreign principals or associates.
- 3.4 BIDDERS shall disclose the payments to be made by them to agents / brokers or any other intermediary, in connection with this bid/contract.
- 3.5 The BIDDER further confirms and declares to the BUYER that the BIDDER is the original manufacturer/ integrator/ authorized government sponsored export entity of the defence stores and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to the BUYER, or any of its functionaries, whether officially or unofficially to the award of the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.
- 3.6 The BIDDER, either while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payments he has made, is committed to or intends to make to officials of the BUYER or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.
- 3.7 The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- 3.8 The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- 3.9 The BIDDER shall not use improperly, for purposes of competition or personal gain, or pass on to others, any information provided by the BUYER as part of the business relationship, regarding plans, technical proposals and business details, including information contained in any electronic data carrier. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged.
- 3.10 The BIDDER commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.
- 3.11 The BIDDER shall not instigate or cause to instigate any third person to commit any of the actions mentioned above.
- 3.12 If the BIDDER or any employee of the BIDDER or any person acting on behalf of the BIDDER, either directly or indirectly, is a relative of any of the officers of the BUYER, or alternatively, if any relative of an officer of the BUYER has financial interest/stake in the BIDDER's firm, the same shall be disclosed by the BIDDER at the time of filing of tender.

The term relative for this purpose would be as defined in Section 6 of the Companies Act 1956.

3.13 The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of the BUYER.

#### **4. PREVIOUS TRANSGRESSION**

4.1 The BIDDER declares that no previous transgression occurred in the last three years immediately before signing of this Integrity Pact, with any other company in any country in respect of any corrupt practices envisaged hereunder or with any Public Sector Enterprise in India or any Government Department in India, that could justify BIDDER's exclusion from the tender process.

4.2 The BIDDER agrees that if it makes incorrect statement on this subject, BIDDER can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

#### **5. EARNEST MONEY DEPOSIT**

5.1 While submitting bid, the BIDDER shall deposit an amount mentioned in tender document as Earnest Money, with the IIIT Allahabad through the following instruments:

(i) A confirmed Bank Guarantee by an Indian Nationalized Bank, promising payment of the guaranteed sum to the BUYER on demand within three working days without any demur whatsoever and without seeking any reasons whatsoever. The demand for payment by the IIIT Allahabad shall be treated as conclusive proof of payment.

5.2 The Earnest Money shall be valid upto a period of 180 days or the complete conclusion of the contractual obligations to the complete satisfaction of both the BIDDER and the BUYER, including warranty period, whichever is later.

5.3 In case of successful BIDDER a clause would also be incorporated in the Article pertaining to Performance Bond in the Purchase Contract that the provisions of Sanctions for Violation shall be applicable for forfeiture of Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.

5.4 No interest shall be payable by the BUYER to the BIDDER on Earnest Money for the period of its currency.

5.5 In case of successful BIDDER, EMD will be returned within 15 days from the date of submission of Performance Guarantee Bond.

#### **6. SECURITY DEPOSIT / PERFORMANCE GUARANTEE :**

6.1 Performance Guarantee Bond is mandatory.

- 6.2 Successful tenderer/ bidder should submit performance guarantee as prescribed above to be received in the office of Faculty In Charges, Purchase, IITA on or before 15 days from the date of issue of order acknowledgement. The performance guarantee bond to be furnished in the form of Bank Guarantee as per proforma or annexure of the tender documents, for an amount as mentioned in the tender document.
- 6.3 The Performance Guarantee Should be established in favour of "IIT Allahabad" payable at Allahabad.
- 6.4 Performance Guarantee Bond shall be for the due and faithfully performance of the contract and shall remain binding, notwithstanding such variations, alterations for extensions of time as may be made, given, conceded or agreed to between the successful tenderer and the purchaser under the terms and conditions of acceptance to tender.
- 6.5 The successful tenderer is entirely responsible for due performance of the contract in all respects according to the speed, intent and meaning of the terms and conditions and specification and all other documents referred to in the acceptance of tender.
- 6.6 The performance guarantee bond shall be kept valid during the period of contract and shall continue to be enforceable initially for a period of fifteen months from the date of commence of contract.

## **7. Sanctions for Violations**

- 7.1 Any breach of the aforesaid provisions by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle the BUYER to take all or any one of the following actions, wherever required:-
- (i) To immediately call off the pre-contract negotiations without assigning any reason or giving any compensation to the BIDDER. However, the proceedings with the other BIDDER(s) would continue.
  - (ii) The Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/Performance Bond (after the contract is signed) shall stand forfeited either fully or partially, as decided by the BUYER and the BUYER shall not be required to assign any reason therefore.
  - (iii) To immediately cancel the contract, if already signed without giving any compensation to the BIDDER.
  - (iv) To recover all sums already paid by the BUYER, and in case of an Indian BIDDER with interest thereon at 2% higher than the prevailing Prime Lending Rate of State Bank of India, while in case of a BIDDER from a country other than India with interest thereon at 2% higher than the LIBOR. If any outstanding payment is due to the BIDDER from the BUYER in connection with any other contract for any other stores, such outstanding payment could also be utilized to recover the aforesaid sum and interest.


- (v) To encash the advance bank guarantee and performance bond/warranty bond, if furnished by the BIDDER, in order to recover the payments, already made by the BUYER, along with interest.
- (vi) To cancel all or any other Contracts with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to the BUYER resulting from such cancellation/rescission and the BUYER shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.
- (vii) To debar the BIDDER from participating in future bidding processes of the Government of India for a minimum period of two years, which may be further extended at the discretion of the BUYER.
- (viii) To recover all sums paid in violation of this pact by the BIDDER(s) to any middleman or agent or broker with a view to securing the contract.
- (ix) In cases where irrevocable Letters of Credit have been received in respect of any contract signed by the BUYER with the BIDDER, the same shall not be opened.
- (x) Forfeiture of Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.

7.2 The BUYER will be entitled to take all or any of the actions mentioned at para 7.1(i) to (x) of this Pact also on the Commission by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER), of an offence as defined in Chapter IX of the Indian Penal code, 1860 or Prevention of Corruption Act 1988 or any other statute enacted for prevention of corruption.

7.3 The decision of the BUYER to the effect that a breach of the provisions of this Pact has been committed by the BIDDER shall be final and conclusive on the BIDDER. However, the BIDDER can approach the independent Monitor(s) appointed for the purposes of this Pact.

### **8. Fall Clause**

8.1 The BIDDER undertakes that it has not supplied/is not supplying similar product/systems or subsystems at a price lower than that offered in the present bid in respect of any other department of State Government/ Central Government or PSU and if it is found at any stage that similar product/system or sub-system was supplied by the BIDDER to any other Department of State Government/ State Government or PSU at a lower price, then that very price, with due allowance for elapsed time, will be applicable to the present case and the difference in the cost would be refunded by the BIDDER to the BUYER, if the contract has already been concluded.



### **Independent monitors**

- 9.1 The BUYER has appointed Independent Monitors (hereinafter referred to as Monitors) for this Pact in consultation with the Central Vigilance Commission (Chief Vigilance Officer, Indian Institute of Information Technology, Allahabad).
- 9.2 The task of the Monitor shall be to review independently and objectively, whether and to what extent the parties comply with the obligations under this Pact.
- 9.3 The Monitor shall not be subject to instructions by the representatives of the parties and performs their functions neutrally and independently.
- 9.4 Both the parties accept that the Monitor have the right to access all the documents relating to the project/procurement, including minutes of the meetings.
- 9.5 As soon as the Monitor notices, or believes to notice, a violation of this Pact, he will so inform the Authority designated by the BUYER.
- 9.6 The BIDDER(s) accepts that the Monitor has the right to access without restriction to all Project documentation of the BUYER including that provided by the BIDDER. The BIDDER will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor shall be under contractual obligation to treat the information and documents of the BIDDER/Subcontractor(s) with confidentiality.
- 9.7 The BUYER will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the parties. The parties will offer to the Monitor the option to participate in such meetings.
- 9.8 The Monitor will submit a written report to the designated Authority of BUYER/ Secretary in the Department/within 8 to 10 weeks from the date of reference or intimation to him by the BUYER / BIDDER and, should the occasion arise, submit proposals for correcting problematic situations.

### **10. Facilitation of Investigation**

In case of any allegation of violation of any provisions of this Pact or payment of commission, the BUYER or its agencies shall be entitled to examine all the documents including the Books of Accounts of the BIDDER and the BIDDER shall provide necessary information & documents in English and shall extend all possible help for the purpose of such examination.

### **11. Law and Place of Jurisdiction**

This Pact is subject to Indian Law. The place of performance and Jurisdiction is the Seat of the BUYER.

**12. Other Legal Actions**

The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.

**13. Validity**

13.1 The validity of this Integrity Pact shall be from date of its signing and extend upto 3 years or the complete execution of the contract to the satisfaction of both the BUYER and the BIDDER/ Seller, including warranty period, whichever is later. In case BIDDER is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.

13.2 Should one or several provisions of this Pact turn out to be invalid, the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.

**14.** The Parties hereby sign this Integrity Pact at \_\_\_\_\_ on \_\_\_\_\_.

BUYER

BIDDER

Faculty In Charge, IIIT -Allahabad

Signature with seal

Witness

Witness


1. \_\_\_\_\_

1. \_\_\_\_\_

(Indenter)

2. \_\_\_\_\_

2. \_\_\_\_\_



**Annexure-V**

**List of qualified bidders with reference to EOI ref. no. IIIT-  
A/EOI/DR(S&P)/268/2017, dated-13/10/2017**

<b>S.No.</b>	<b>Name of Firm</b>	<b>Address</b>
1	M/s Methodex Systems Pvt Ltd.	Nadesar, Varanasi
2	M/s Geeken Seating Collection Pvt. Ltd.	Gurgaon Haryana
3	M/s Godrej & Boyce Mfg. Co. Ltd.	Sanjay Complex, Lucknow
4	M/s Modern Amenities.	Ashok Nagar, Motijheel, Kanpur
5	M/s Delite Hi-Tech Furniture Industries Pvt. Ltd.	Jhansi Road, New Delhi
6	M/s Durian Industries Ltd,	I/20, WHS, Kirti Nagar, New Delhi

