



# भारतीय सूचना प्रौद्योगिकी संस्थान, इलाहाबाद Indian Institute of Information Technology, Allahabad

An Institute of National Importance by Act of Parliament  
Deoghat, Jhalwa, Allahabad-211015 (U.P.) INDIA

Ph.: 0532-2922025, 2922067, Fax : 0532-2430006, Web : www.iiita.ac.in, E-mail : contact@iiita.ac.in

Ref. no. IIIT-A/ENQ/FIP/297/222/2018

Date: 06/07/2018

## Enquiry Letter

M/s. ....

.....

.....

Ph. No.: .....

### Sub: Quotation for Purchase of KVM Switch for Racks

Enquiry issue date: 06/07/2018

Last submission date: 26/07/2018 upto 4:00 PM

Dear Sir,


Institute intends to Purchase of **KVM Switch for Racks** for IIIT-Allahabad for which quotations are invited as per details given in below: -

Sl. No.	Item/Specification	Qty.	Unit Rate	Amount (Rs.)
1.	8 Port USB KVM Switch (Specification as per Annexure -I)	2		
2.	8 Port IP Based KVM Switch (Specification as per Annexure-II)	1		
	<b>Total-</b>			
	Taxes (GST)-			
	<b>Total Amount-</b>			

You are requested to submit the quotation by courier/speed post with complete details of specifications, terms & conditions warranty/guarantee etc. **upto 26/07/2018 (4:00 PM)** Quotations duly sealed may be dropped in the tender box placed in the office of the Faculty In Charge Purchase, IIIT-Allahabad. Basic rate, taxes and freight charges etc. must be quoted separately. Quotation should be addressed to **Faculty In Charge Purchase, IIIT-Allahabad, Deoghat Jhalwa, Allahabad-211015. Kindly mention enquiry reference number, subject, due date contact address etc on envelopes. Incomplete quotation will not be accepted.**

### Note:

1. FOR destination IIIT-Allahabad.
2. Quoted rate should be valid at least for 60 days.
3. Enquiry/tender must be quoted in prescribed format on the letter head of the firm/vendor, otherwise quotation may be rejected.
4. Separate order may be place for each category as decided by committee.
5. Supply should be completed within 4 weeks from the receipt of the Purchase order. If, the supply delayed beyond the stipulated time of completion of supply penalty of 1% per week of total cost may be imposed at the discretion of competent authority. The penalty may be upto 10% of the total cost.
6. If it is found that items are fake or of sub-standard quality and not conforming to the required specifications, the firm, will have to replace the fake/ sub-standard items with genuine ones immediately but they will also be liable to be blacklisted.

7. Rate quoted by the firm should not be higher than the MRP/ prevailing market rate.
8. Conditional quotations are liable to be rejected. In the event of acceptance, Director's decision will be final. The rates should be quoted as per our required specifications. The quotation which is not as per our required specifications will not be considered on any ground.
9. The right to accept or reject any tender/ quotation, partially or wholly, including lowest quotation without assigning any reason whatsoever thereof or incurring any liability thereby is reserved with the Director, IIIT, Allahabad. The Director, also reserves the right to split the tender and place the orders for supply of item(s), mentioned in the enquiry letter on one or more tenderer. The decision of the Director, with regard to enforcement of these terms and conditions herein contained, as a result of breach of these conditions by successful Tenderers, shall be final and the Director, shall not be liable for any damage/liability put forth by the Tenderers at any stage of the transaction arising out of the enforcement of any or all herein contained terms and conditions.
10. In case the firm fails to complete the job within maximum specified period Institute reserves the right to get the job done by any other firm and the difference of cost if any, will be recovered from the defaulting firm.
11. Payment will be made within fifteen after supply, inspection & satisfactory report. No conditions/ clause with regard to interest etc. shall be entertained.
12. All the documents submitted must be legible and self attested. Otherwise it is likely to be rejected.
13. Tenderer should take into account any corrigendum published on the Tender document before submitting their bids. All such corrigendum will be placed on IIIT-A website [www.iiita.ac.in](http://www.iiita.ac.in) Intending tenderers are advised to visit [www.iiita.ac.in](http://www.iiita.ac.in) for regular update, if any, till the closing date of tender for any corrigendum/ addendum/ amendment. IITA will not be responsible for ignorance of corrigendum.
14. In view of wide publicity, the details are also available on our web site ([www.iiita.ac.in](http://www.iiita.ac.in)), may be seen.
15. May feel free to contact on E-mail-[info.purchase@iiita.ac.in](mailto:info.purchase@iiita.ac.in), Ph. No.: 0532-2922061.
16. Kindly quote your Income Tax PAN No./TIN No., GST no. as applicable on the quotation raised by you. If PAN No. not quoted, 20% Tax will be deducted at source.
17. The lowest rate will not be the basis of claim to get the order. 
18. All disputes are subject to Jurisdiction of Allahabad Courts.
19. Kindly quote your email ID and Bank details etc.

**Faculty In Charge Purchase**

**Read and accepted**

**Signature & stamp of Bidder or  
Authorized Signatory**

**(Annexure -I)**

**8 Port USB KVM Switch**

Sl. No	Item Description	Compliance						
		Yes	No					
1.	One USB-PS/2 Console controls 8 computers							
2.	Dual Interface support computer with PS/2 or USB keyboard and mice							
3.	Support USB Keyboard for PC, Mac, Linux and Mac							
4.	Multiplatform Support – Windows, Linux, Mac, FreeBSD and Sun							
5.	Video Quality upto 2048 X 1536; DDC2B							
6.	Computer Selection via front panel pushbuttons, hotkeys and multilingual on-screen display (OSD) menu							
7.	Rack Mountable							
8.	Firmware upgradable							
9.	Auto Scan feature for monitoring user-selected computers							
10.	Hot Pluggable- add or remove computers without having to power down the switch							
11.	No software installation required							
12.	Scan interval 1-255 seconds							
13.	Power Consumption 5W or better							
14.	Cascade up to 2 level – control up to 64 via cascade							
15.	Buzzer on/off via hotkey and OSD							
16.	<table border="1"><tr><td rowspan="2">Connectors and Cables</td><td>Console (1)</td><td>1 x mini-DIN 6 Female (USB Style Mouse) 1 x mini-DIN 6 Female (USB Style Keyboard) 1 HDDB15 Female (standard VGA/SVGA)</td></tr><tr><td>CPU Ports (8)</td><td>8 HDDB15 Male (standard VGA/SVGA),VGA, USB, PS/2</td></tr></table>	Connectors and Cables	Console (1)	1 x mini-DIN 6 Female (USB Style Mouse) 1 x mini-DIN 6 Female (USB Style Keyboard) 1 HDDB15 Female (standard VGA/SVGA)	CPU Ports (8)	8 HDDB15 Male (standard VGA/SVGA),VGA, USB, PS/2		
Connectors and Cables	Console (1)		1 x mini-DIN 6 Female (USB Style Mouse) 1 x mini-DIN 6 Female (USB Style Keyboard) 1 HDDB15 Female (standard VGA/SVGA)					
	CPU Ports (8)	8 HDDB15 Male (standard VGA/SVGA),VGA, USB, PS/2						

**(Annexure-II)**

**8 Port IP Based KVM Switch**

Sl. No	Item Description	Compliance	
		Yes	No
1.	8 Port remote access KVM Switch – monitor and control upto 8 computer from a single KVM Console.		
2.	Convenient computer selection via front panel pushbuttons, hotkeys and multilingual on-screen display (OSD) menus		
3.	Port Selection: OSD/GUI; Hotkey; Pushbutton		
4.	Video Local Console: 2048 x 1536; DDC2B		
5.	Video Remote: 1600 x 1200 @ 60Hz/ 24bit color depth		
6.	Scan Interval (OSD Selection) 1-255 sec		
7.	Firmware upgradable		
8.	Multiplatform client support (Windows, Mac OS X, Linux, Sun)		
9.	Multibrowser support (IE, Mozilla, Firefox, Safari, Opera, Netscape)		
10.	Rack Mountable		
11.	Scan interval 1-255 seconds		
12.	Power Consumption 10W or better		
13.	IPv6 Capable		
14.	Multilanguage web UI support featuring a tree-structured local and remote OSD		
15.	Broadcast mode; operations simultaneously performed on all selected computers (software installation, system-wide shutdown, etc)		
16.	Event logging		
17.	Secure Keyboard/mouse/video transmission via RC4 128bit encryption		
18.	Support SSL 128bit data encryption and RSA 1024bit certificates for secure user logins from a browser		
19.	Auto-sensing of station's position and daisy chained installations; no need for manual dip switch setting' front panel LED indicates stations' position		
20.	Adjustable video quality for flexible adaption to diverse network environments.		
21.	Enable / Disable browser access		
22.	Connectors and Cables		
	Console (1)	1 x mini-DIN 6 Female (USB Style Mouse)	
		1 x mini-DIN 6 Female (USB Style Keyboard)	
		1 HDDB15 Female (standard VGA/SVGA)	
	CPU Ports (8)	8 HDDB15 Male (standard VGA/SVGA),VGA, USB,	