



**Government
eProcurement
System**

eProcurement System Government of India

Tender Details

Date : 28-Dec-2023 05:22 PM

Print

Basic Details

Organisation Chain	Indian Institute of Information Technology Allahabad		
Tender Reference Number	IIITA/SP/1281/ 2169 /2023		
Tender ID	2023_IIITA_787823_1	Withdrawal Allowed	Yes
Tender Type	Open Tender	Form of contract	Works
Tender Category	Works	No. of Covers	2
General Technical Evaluation Allowed	No	ItemWise Technical Evaluation Allowed	No
Payment Mode	Offline	Is Multi Currency Allowed For BOQ	No
Is Multi Currency Allowed For Fee	No	Allow Two Stage Bidding	No

Payment Instruments

Offline	S.No	Instrument Type
	1	Bankers Cheque
	2	Bank Guarantee
	3	Demand Draft
	4	R-T-G-S
	5	FDR
	6	NEFT

Cover Details, No. Of Covers - 2

Cover No	Cover	Document Type	Description
1	Fee/PreQual /Technical	.pdf	DULY SIGNED AND SEALED COPY PREQUALIFICATION CRITERIA 5.1 TO 5.8
		.pdf	DULY SIGNED AND SEALED COPY OF OTHER IMPORTANT DOCUMENT REQUIRED IN TENDER DOCUMENT.
2	Finance	.xls	PRICE SCHEDULE

Tender Fee Details, [Total Fee in ₹ * - 0.00]

Tender Fee in ₹	0.00		
Fee Payable To	Nil	Fee Payable At	Nil
Tender Fee Exemption Allowed	No		

EMD Fee Details

EMD Amount in ₹	54,000	EMD through BG/ST or EMD Exemption Allowed	Yes
EMD Fee Type	fixed	EMD Percentage	NA
EMD Payable To	IIIT ALLAHABAD	EMD Payable At	PRAYAGRAJ

[Click to view modification history](#)

Work /Item(s)

Title	Renovation work in Prayas classes at IIITA
Work Description	Renovation work in Prayas classes at IIITA
Pre Qualification Details	AS PER TENDER DOCUMENT
Independent External Monitor/Remarks	NA

Show Tender Value in Public Domain	No				
Tender Value in ₹	0.00	Product Category	Civil Works - Others	Sub category	COMPOSITE WORKS
Contract Type	Tender	Bid Validity(Days)	90	Period Of Work(Days)	98
Location	PRAYAGRAJ	Pincode	211015	Pre Bid Meeting Place	NA
Pre Bid Meeting Address	NA	Pre Bid Meeting Date	NA	Bid Opening Place	IIIT ALLAHABAD
Should Allow NDA Tender	No	Allow Preferential Bidder	No		

Critical Dates

Publish Date	28-Dec-2023 06:00 PM	Bid Opening Date	19-Jan-2024 04:00 PM
Document Download / Sale Start Date	28-Dec-2023 06:00 PM	Document Download / Sale End Date	18-Jan-2024 12:00 PM
Clarification Start Date	28-Dec-2023 06:00 PM	Clarification End Date	10-Jan-2024 10:00 AM
Bid Submission Start Date	28-Dec-2023 06:00 PM	Bid Submission End Date	18-Jan-2024 12:00 PM

Tender Documents

NIT Document	S.No	Document Name	Description	Document Size (in KB)
		1	Tendernotice_1.pdf	TENDER DOCUMENT

Work Item Documents	S.No	Document Type	Document Name	Description	Document Size (in KB)
		1	Tender Documents	TENDERDOC28122023.pdf	TENDER DOCUMENTS
	2	BOQ	BOQ_828092.xls	PRICE SCHEDULE	390.00

Auto Extension Corrigendum Properties for Tender

Iteration	No. of bids required for bid opening a tender	Tender gets extended to No. of days
1.	3	10
2.	3	7
3.	3	5

Bid Openers List

S.No	Bid Opener Login Id	Bid Opener Name	Certificate Name
1.	niranjan@iiita.ac.in	NIRANJAN KUMAR	Niranjan kumar
2.	ajitk@iiita.ac.in	AJIT KUMAR	Ajit kumar
3.	dheerajyadav@iiita.ac.in	DHEERAJ YADAV	Dheeraj Yadav
4.	manohar@iiita.ac.in	Manohar kumar kumar	Manohar Kumar

Tender Properties

Auto Tendering Process allowed	No	Show Technical bid status	Yes
Show Finance bid status	Yes	Show Bids Details	No
BoQ Comparative Chart model	Normal	BoQ Compative chart decimal places	2
BoQ Comparative Chart Rank Type	L	Form Based BoQ	No
Show Bid Details in Public Domain stage	Technical Bid Opening		

TIA Undertaking

S.No	Undertaking to Order	Tender complying with Order	Reason for non compliance of Order
1	PPP-MII Order 2017	Not Applicable	NOT COMPLIED
2	MSEs Order 2012	Not Applicable	NOT COMPLIED

Tender Inviting Authority

Name	JR STORE AND PURCHASE
Address	JR STORE AND PURCHASE

Tender Creator Details

Created By	AJIT KUMAR
Designation	TECHNICAL SUPREINTENDENT
Created Date	28-Dec-2023 05:12 PM



Date: 28.12.2023

NOTICE INVITING TENDER (E-Tendering mode)

1. E-bids are invited through **Central Public Procurement Portal (CPPP)** under Two Bid system for the **“Renovation work in Prayas classes at IIT-A”** at Indian Institute of Information Technology, Allahabad (IIITA). The detailed specifications, terms and conditions are given in Annexure I through VIII. The complete Bid document may be downloaded from CPPP and IIITA website. Physical bids will not be accepted.

TENDER SCHEDULE

Date of issue/publishing	:	28/12/2023
Document download/sale start date	:	28/12/2023
Document download/sale end date	:	18/01/2024 (12.00 noon)
-Last date and time for uploading bids	:	18/01/2024 (12.00 noon)
Last date and time for receipt of queries	:	10/01/2024 (10.00 am)
Date of issuing corrigendum, if any	:	12/01/2023 (10.00 am)
Date and time of Technical Bid opening	:	19/01/2024 (04.00 pm)
Date and time of Price Bid opening	:	Will be informed later
Bid Security (Earnest Money Deposit)	:	<ul style="list-style-type: none">• Bid Security fee is Rs. 54000/- (Rupees Fifty four thousand Only) (see Bid Security details given below).• Any bid without Bid Security will not be considered unless it qualifies for exemption (see Details of Bid Security given below).
Performance Security	:	3.0% of Work Order Amount (excluding taxes) as per enclosed Annex- No. DG/CON/Misc./20 dtd. 31.12.2021 and it will be released after completion of work.
Security Deposit	:	2.5% of the total work done as per clause - 1A of GCC-2020 of CPWD for the period of defect liability period + two month additional period.
Compensation for delay	:	With a maximum rate @ 0.5% per week of delay to be computed on per day basis based on quantum of damage suffered due to stated delay on the part of contractor.
Defect Liability Period	:	12 (Twelve) month from the date of completion period as per as per clause no. 17of GCC-2020 of CPWD
Number of covers	:	2
Bid validity period	:	90 days from the date of opening of Technical Bid
Address for communication	:	Jt. Registrar (Store &Purchase), IIT-Allahabad, Jhalwa, Prayagraj – 211015
Contact number	:	Tel: 0532-2922804
Email address	:	Bidder may submit their Queries/Clarification, if any, latest by 10/01/2023 (10.00 am) through cpp portal. Queries/Clarification sent to any Email ID will not be entertained.

Note: If any of the above days happens to be an IIITA holiday, the next working day shall be considered.



2. **Details of Bid Security:**

- a. Bid Security may be provided through direct transfer (RTGS/NEFT), Account Payee Demand Draft, Fixed Deposit Receipt, Banker's cheque or Bank Guarantee from any of the Commercial Banks. If Bid Security has been submitted by any other mode than NEFT/ RTGS, then hard copy of the Bid Security has to be sent by Registered Post. It should reach IIITA Campus before the bid submission deadline to the name of Jt. Registrar (Stores & Purchase), Indian Institute of Information Technology Allahabad, Deoghat, Jhalwa, Pincode-211015, Prayagraj. In envelope super scripted the tender Id or tender reference Number and with company full address.
- b. The details for payment are as follows:

Account Name : IIIT A EMD And Security Deposit Account
Bank name : Punjab National Bank
Address : Pipalgaon Branch, Allahabad, Prayagraj
Account No. : 8636000100031943
IFSC Code : PUNB0863600

Validity : The Bid Security is to remain valid for a period of 45 days beyond the final bid validity period.

- c. **Exemption for Bid Security:** Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprise (MSMEs) or are registered with the Central Purchase Organization or Concerned Ministry or Department or Startups as recognized by Department of Industrial Policy and Promotion are exempted from BID SECURITY. Such bidder needs to submit relevant certificate issued by competent authority along with technical bid of tender.
3. Complete Bidding document is available in Government of India's E-tender website. The bids should be submitted through the same website (<https://eprocure.gov.in/eprocure/app>). All amendments, time extension, clarifications etc. will be uploaded in the CPPP website and www.iiita.ac.in and it will not be published in newspapers.
 4. Bidders should regularly visit the above websites to keep themselves updated.
 5. Bidder may note that Bid shall be submitted on the basis of "ZERO DEVIATION" and shall be in full compliance to the requirements of Bidding Document, failing which bid shall be considered as non-responsive and may be liable for rejection.
 6. The Director of IIIT-Allahabad reserves the right to reject any or all the bids, or cancel the tender, without assigning any reason and the decision of the Director; IIIT-Allahabad shall be final and binding.

(Stores & Purchase Section)



Contents

1	INSTRUCTIONS FOR ONLINE BID SUBMISSION	4
1.1	REGISTRATION.....	4
1.2	SEARCHING FOR QUOTATION /TENDER DOCUMENTS	4
1.3	PREPARATION OF BIDS	4
1.4	SUBMISSION OF BIDS.....	5
1.6	GENERAL INSTRUCTIONS TO THE BIDDER	5
1.7	COST OF BIDDING DOCUMENTS.....	5
2	INVITATION FOR TENDER OFFERS RENOVATION WORKS IN PRAYAS CLASSES AT IIIT-A.	6
3	TECHNICAL SPECIFICATIONS	6
4	GENERAL CONDITIONS OF CONTRACT	10
5	PREQUALIFICATION CRITERIA FOR BIDDER	11
6	SPECIAL CONDITIONS OF CONTRACT.....	12
7	AWARD OF CONTRACT:.....	16
8.2	ANNEXURE – II: CHECKLIST FOR BID SUBMISSION	18
8.3	ANNEXURE – III: BILL OF QUANTITY (BOQ)	20
9.0	AWARD OF WORK:	26
9.1	ANNEXURE – IV: UNDERTAKING.....	26
9.2	ANNEXURE – V: DECLARATION.....	27
9.3	ANNEXURE – VI: BIDDER DETAILS	28
9.4	ANNEXURE –VII: MANDATE FORM FOR ELECTRONIC FUND TRANSFER/RTGS TRANSFER & DETAILS OF BID SECURITY TRANSACTION	29
9.5	ANNEXURE –VIII:Agreement.....	30



1 INSTRUCTIONS FOR ONLINE BID SUBMISSION

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (URL: <http://eprocure.gov.in/eprocure/app>). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidder in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal. More information useful for submitting online bids on the CPP Portal may be obtained at <http://eprocure.gov.in/eprocure/app>.

1.1 REGISTRATION

- 1.1.1 Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <http://eprocure.gov.in/eprocure/app>) by clicking on the link “Click here to Enroll”. Enrolment on the CPP Portal is free of charge.
- 1.1.2 As part of the enrolment process, the bidder will be required to choose a unique username and assign a password for their accounts.
- 1.1.3 Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 1.1.4 Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra / Capricon etc.), with their profile.
- 1.1.5 Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 1.1.6 Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

1.2 SEARCHING FOR QUOTATION /TENDER DOCUMENTS

- 1.2.1 There are various search options built in the CPP Portal, to facilitate bidder to search active Tender by several parameters. These parameters could include tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tender, wherein the bidder may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 1.2.2 Once the bidders have selected the tender they are interested in, they may download the required documents schedules. These tenders can be moved to the respective ‘My Tender’ folder. This would enable the CPP Portal to intimate the bidder through SMS / e-mail in case there is any corrigendum issued to the Tender document.
- 1.2.3 The bidder should make a note of the unique Tender ID assigned to each Tender in case they want to obtain any clarification / help from the Helpdesk.

1.3 PREPARATION OF BIDS

- 1.3.1 Bidder should take into account any corrigendum published on the Tender document before submitting their bids.
- 1.3.2 Please go through the Tender / Tender advertisement and the Tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 1.3.3 Bidder, in advance, should get ready the bid documents to be submitted as indicated in the Quotation document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 1.3.4 To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidder. Bidder can use “My Space” area available to them to upload such documents. These documents may be directly submitted from the “My Space” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.



1.4 SUBMISSION OF BIDS

- 1.4.1 Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 1.4.2 The bidder has to digitally sign and upload the required bid documents one by one as indicated in the Tender document.
- 1.4.3 A standard BOQ format has been provided with the Tender document to be filled by all the bidder. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidder are required to download the BOQ file, open it and complete the white colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.

OR

- In some cases, Financial Bids can be submitted in RAR format as well (in lieu of BOQ).
- 1.4.4 The server time (which is displayed on the bidder' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidder, opening of bids etc. The bidder should follow this time during bid submission.
 - 1.4.5 All the documents being submitted by the bidder would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128bit encryption technology. Data storage encryption of sensitive fields is done.
 - 1.4.6 The uploaded Tender documents become readable only after the Tender opening by the authorized bid openers.
 - 1.4.7 Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
 - 1.4.8 Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

1.5 ASSISTANCE TO BIDDER

- 1.5.1 Any queries relating to the Tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a Tender or the relevant contact person indicated in the Tender.
- 1.5.2 Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

1.6 GENERAL INSTRUCTIONS TO THE BIDDER

- 1.6.1 The Tender will be received online through portal <http://eprocure.gov.in/eprocure/app>. In the Technical Bids, the bidder is required to upload all the documents in .pdf format.
- 1.6.2 Possession of a Valid Class- III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through <https://eprocure.gov.in/eprocure/app>. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site <https://eprocure.gov.in/eprocure/app> under the link "Information about DSC".

1.7 COST OF BIDDING DOCUMENTS

- 1.7.1 The vendor (bidder) shall bear all costs associated with the preparation and submission of its bid and IIITA will in no case be held responsible or liable for the costs, regardless of the conduct or outcome of the bidding process.



2 INVITATION FOR TENDER OFFERS RENOVATION WORKS IN PRAYAS CLASSES AT IIIT-A.

Indian Institute of Information Technology, Allahabad invites online Bids (Technical bid and Commercial/Price bid) from eligible and experienced in work for **Renovation work in prayas classes at IIIT-A.**

3 TECHNICAL SPECIFICATIONS

3.1.1 TECHNICAL SPECIFICATION FOR RENOVATION WORK IN PRAYAS CLASSES AT IIIT-A

RENOVATION WORK IN PRAYAS CLASSES AT IIT-A.	
S.No.	Particulars
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. (DSR 2021, 2.8.1)
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources) (DSR 2021, 4.1.10)
3	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand) (DSR 2021, 6.1.1)
4	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand) (DSR 2021, 6.4.2)
5	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. (DSR 2021, 2.25)
6	CARRIAGE OF MATERIALS By Mechanical Transport including loading, unloading and stacking Lime, moorum, building rubbish 1 km (DSR 2021, 1.1.1)
7	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :25 mm thick. (DSR 2021, 11.26)
8	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete. (DSR 2021, 11.27)
9	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm. (DSR 2021, 11.41.2)
10	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. (DSR 2021, 8.31)
11	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. (DSR 2021,15.56)
12	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) (DSR 2021,15.2.1)
13	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m. All kinds of soil (DSR 2021,2.28.1)
14	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : Of area 3 sq. metres and below (DSR 2021,15.13.1)
15	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : Of area 3 sq. metres and below (DSR 2021,15.13.2)
16	CEMENT PLASTER (IN COARSE SAND) 12 mm cement plaster of mix : 1:6 (1 cement: 6 coarse sand) (DSR 2021,13.4.2)
17	CEMENT PLASTER (IN COARSE SAND) 15 mm cement plaster on rough side of single or half brick wall of mix: 1:6 (1 cement: 6 coarse sand) (DSR 2021,13.5.2)



18	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws. (DSR 2021,9.21.2)
19	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (DSR 2021,10.1)
20	Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts, embedding hold fasts in cement concrete blocks of size 15 x 10 x 10 cm with cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size), painting two coats of approved wood preservative to sides of chowkhats and making good the damages to walls and floors as required complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. Door chowkhats (DSR 2021,14.2.1)
21	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : 300x16 mm (DSR 2021,9.96.1)
22	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 300x10 mm (DSR 2021,9.97.1)
23	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :125 mm (DSR 2021,9.100.1)
24	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc complete.Twin rubber stopper. (DSR 2021,9.101.2)
25	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid. (DSR 2021,17.2.1)
26	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests. (DSR 2021,17.1.1)
27	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: 17.7.2 White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap. (DSR 2021,17.7.2)
28	Providing and laying damp-proof course 40mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 12.5mm nominal size derived from natural sources) (DSR 2021,4.10)
29	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). (DSR 2021,5.3)
30	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more (DSR 2021,5.22A.6)
31	Centering and shuttering including strutting, propping etc. and removal of form work for : Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc. (DSR 2021, 4.3.2)
32	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.(DSR 2021,13.80)
33	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification. Two or more coats on new work. (DSR 2021,13.42.1)
34	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm) (DSR 2021,13.46.1)
35	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work. (DSR 2021,13.61.1)
36	Supply & Fixing of new mirror of 5mm thick of saint gobain / Modi guard make with back support PVC sheet 6mm thickness and framing with 2" width provision of mounting / hanging arrangement.
37	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work 25 mm dia nominal bore. L.S. Quantity (DSR 2021,18.12.3)
38	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall : 15 mm dia nominal bore. L.S. Quantity (DSR 2021,18.11.1)



39	Cutting holes of required size in brick masonry wall for fixing of exhaust fan including providing and fixing 300 mm dia PVC pipe conforming BIS-12818 and making good the same etc. complete as per direction of Engineer-in-charge. (DSR 2021,14.81)
40	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :20 mm nominal bore (DSR 2021,18.17.1A)
41	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore. (DSR 2021,18.49.1)
42	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 15 mm nominal bore (DSR 2021,18.52.1)
43	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 15mm nominal bore. (DSR 2021,18.53.1)
44	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer - in - charge.(DSR 2021,17.16A)
45	Providing and fixing nahani Trap with S.S. or C.P. brass jali.
46	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate (DSR 2021,11.3.1)
47	S& F of PVC Pipe of 150 mm dia of 6kg/cm capacity with all requires fittings for proper completion of work in all respect.
48	CEMENT PLASTER WITH A FLOATING COAT OF NEAT CEMENT 12 mm cement plaster finished with a floating coat of neat cement of mix : 1:3 (1 cement: 3 fine sand). (DSR 2021,13.7.1)

Estimate for Supply and Installation of Electrical fittings in new Toilet of Prayas Classes behind BH-III at IIITA.		
Sn.	DSR22 / MR	Item Description
1	11.6	Supplying and embedding following dia G.I. pipe (medium class) in pole collar / foundation (during casting) for cable entry including bending the pipe to the required shape complete as required.
	11.6.2	40 mm dia
2	11.3	Supply & Erection of metallic pole of following length in cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling etc. as required.
	11.3.1	Above 4.5 metre and upto 6.5 metre
3	9.1	Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.
	9.1.7	Cable size:-3 X 10 sq. mm (22mm)
4	7. 10	Supplying and fixing cable route marker with 10 cm X 10 cm X 5 mm thick G.I. plate with inscription there on, bolted /welded to 35 mm X 35 mm X 6 mm angle iron, 60 cm long and fixing the same in ground as required.
5	7.1	Laying one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kv grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.
	7.1.1	Upto 35 sq.mm
6	7.7	Laying and fixing of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kv grade of following size on wall surface as required
	7.7.1	Upto 35 sq.mm (clamped with 1mm thick saddle)
7	1.24	Supplying & fixing following modular switch / socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.
8	1.24.1	5/6 switch
9	1.24.3	15/16 switch
10	1.24.5	6 pin 15/16 socket outlet
11	2.3	Supplying & fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240V, on surface/recess, complete with tinned copper busba, nuetral busbar, din bar, interconnection, powder painted including earthing etc, as required. (but without MCB/RCCB/Isolator)
	2.3.1	6 way Double Door



12	2.14	Supplying & fixing following rating, double pole (single phase and neutral), 240V, residual current circuit breaker (RCCB) , having a sensivity current 30mA in the existing MCB DB complete with connections, testing and commissioning etc as required.
	2.14.1	25A
13	2. 10	Supplying & fixing 5A to 32 A rating , 240/415V, 10kA, C curve MCB suitable for inductive load of following poles in the existing MCB- DB complete with connection, testing and commissioning etc. as required.
	2.10.1	Single pole
14	2.11	Supplying & fixing single pole blanking plate in the existing MCB DB complete etc. as required.
	1.27	Supplying and fixing following size/ modules, GI box / PVC box alongwith modular base & cover plate for modular switches in recess etc. as required.
15	1.27.1	2 Module (75mmX75mm)
16	1.27.2	3 Module (100mmX75mm)
17	1.27.4	6 Module (200mmX75mm)
18	1.3	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.
	1.3.3	Group C Point
19	1.49	Numbering of ceiling fan/ exhaust fan/ fluorescent fittings as required.
20	1.50	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.
	1.50.1	upto 450mm sweep
21	1.51	Extra for fixing the louvers/ shutters complete with frame for a exhaust fan of all sizes.
22	1.33	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/ wooden block including connections etc. as required.
23	1.14	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.
	1.14.1	2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire
24	1.14.3	2 X 4 sq. mm + 1 X 4 sq. mm earth wire
		Total A
25	MR	Supply of Exhaust Fan 300 mm sweep, 1200/1400 rpm single phase, ISI Mark, Heavy Duty Toilet Exhaust Fan, IS & IP 55, make -Bajaj, Crompton, Havells, Usha or approved equivalent make
26	MR	Providing and Fixing of Mosquito net for Exhaust Fan
27	MR	Providing and Fixing of LED light with fitting (2x 8 to 10 Watt LED light)
28	MR	Providing and Fixing of LED light with fitting (1x 5 to 7 Watt LED light)
29	MR	Providing and Fixing of 18/20 watt LED batten Tube light with fitting
30	MR	Supply of 3 core 10 sqmm Aluminium Armoured cable , 1.1 kV grade, XLPE insulated PVC sheathed Armoured Aluminium cable, IS 1554 PART-I, Make- KEI, Gloster, National, Seichem, Havells or approved make
31	MR	Supplying & installation of LED post top pole light , 35/40 Watt, IP55/66, ISI mark complete in all manner , Water proof Weather proof outdoor light, Make- WIPRO, Philips, Crompton, Havells or approved make
32	MR	Pole Mounted Junction Box /cut out box/ fusebox for road light /street/park lightfor single /three phase ,4 core cable use , high wattage based light system for industrial applications size approx (HxWxD inside)240x130x110 model/product code- GSJB-2817 , Make Sintex, SMC product , single pole 6/10 am, 10kA, C type MCB, 3 phase terminal and connector rail, IP55, complete in all manner. Or MS BOX, 16SWG,CRCA sheet, 2 powder coat aluminium paint, water and weather proof, with bakalite sheet back insulation, 30A,500V connector 8way,with locking arrangement approximate size - 200x200x100mm, with mounting clamp and complete in all manner as per IS



4 GENERAL CONDITIONS OF CONTRACT

- 4.1 Bidder must fill the Letter of Undertaking (**Annexure-IV**) and Declaration Performa (**Annexure-V**) complete in all respect.
- 4.2 Bidder must quote their rates exclusive of all taxes and duties. Taxes applicable may be quoted separately giving full details.
- 4.3 “The Contract” means the agreement entered into between the Owner and the Bidder, as recorded in the contract form signed by the parties, including all the attachments and appendices there to and all documents incorporated by reference therein.
- 4.4 “The Contract Value” means the amount payable to the Bidder under the contract for the full and proper performance of its contractual obligations.
- 4.5 “The Work” means all labour, materials, tools and plant, equipment including government taxes and transport, that may be required in preparation of and for and in the full and entire execution and completion of “the Work”.
- 4.6 “Services” means services ancillary to the execution of the work such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training and other obligations of the Bidder covered under the contract.
- 4.7 For the Bidding/ Tender Document Purposes, Indian institute of information Technology, Allahabad shall be referred to as 'Institute' and the Bidder/ Successful Bidder shall be referred to as 'Contractor and / or Bidder or Tenderer / Supplier/ Vendor’.
- 4.8 While all efforts have been made to avoid errors in the drafting of the tender documents, the Bidder is advised to check the same carefully. No claim on account of any errors detected in the tender documents shall be entertained.
- 4.9 All Bidders are hereby explicitly informed that conditional offers or offers with deviations from the conditions of Contract, the bids not meeting the minimum eligibility criteria, Technical Bids not accompanied with Bid Security receipt of RTGS/NEFT of requisite amount or the proof of exemption from Bid Security and an Undertaking In lieu of Bid Security, or any other requirements stipulated in the tender documents are liable to be rejected.
- 4.10 The Bid Security shall be returned through electronic transfer if submitted online to the bidder(s) bank account as provided by the bidder(s) or it will be returned by post whose offer is not accepted by the Institute within 15 days after finalization and award of the contract without any interest. If the return of Bid Security is delayed for any reason, no interest/penalty shall be payable to the bidder.
- 4.11 The Parties to the Contract/Agreement shall be the successful bidder (to whom the Services or Supply has been awarded) and the Institute, IIIT-Allahabad.
- 4.12 For all purposes of the contract including arbitration there under, the address of the bidder mentioned in the bid shall be final unless the bidder notifies any change of address by a separate letter sent by registered post with acknowledgement due to IIIT-Allahabad. The bidder shall be solely responsible for the consequences of any omission or error to notify any change of address in the aforesaid manner.
- 4.13 Each page in the bid document must be numbered properly and duly signed & sealed by the bidder. Submit the tender document as per Instruction for Online Bid Submission.
- 4.14 The date fixed for opening of bids, if subsequently declared as holiday by the Government, the revised date of schedule will be notified. However, in absence of such notification, the bids will be opened on next working date, the time remaining unaltered.
- 4.15 In preparing the financial bids, bidders are expected to take into account the requirements and conditions laid down in this Tender document. The financial bids should be uploaded online as per the specified “.xls” format i.e. Price Bid in Excel sheet attached as ‘.xls’ with the tender and based on the scope of work, service conditions and other terms of the Tender document. It should include all costs associated with the Terms of Reference/Scope of Work of the assignment.
- 4.16 Quoted rate should be valid as asked in “Tender Schedule”. Deviation / Variation extend and pricing will be executed as per clause no. 12 of GCC maintenance manual -2020 of CPWD.
- 4.17 All figures etc. must be in English Language only.
- 4.18 The lowest rate will not be the basis of claim to get the order.
- 4.19 The firm blacklisted by any IIT/IIIT/NIT/Government Department/PSU/PSU Banks/Autonomous Bodies/Statutory Bodies in India at any stage need not to apply.



- 4.20** Director, Indian Institute of Information Technology, Allahabad reserves the right to reject or accept any tender.
- 4.21** Director, Indian Institute of Information Technology, Allahabad will be the sole arbitrator of all the disputes and his decision will be binding on both the parties.
- 4.22** Director, Indian Institute of Information Technology, Allahabad reserves the right to alter/modify any or all conditions of this tender notice.
- 4.23** **Consignee:** Dr. Seema Shah, Jt. Registrar (Stores), IIITA (Ph: 0532-2922081, 2922143). Except under specific instructions, delivery to Stores Section (if applicable) is restricted between 9:30 A.M to 5.30 P.M. on all working days except Saturday & Sunday and Holyday.
- 4.24** **Any conditional tender will not be accepted.**
- 4.25** **Tenderer should take into account any corrigendum published on the tender document before submitting their bids. All such corrigendum will be placed on Central Public Procurement Portal as well as IIIT-A website www.iiita.ac.in. Intending tenderers are advised to visit www.iiita.ac.in and <https://eprocure.gov.in> for regular update, if any, till the closing date of tender for any corrigendum/addendum/amendment. IIITA will not be responsible for ignorance of corrigendum.**
- 4.26** Participant should be submitted the tender in two envelop cover. (1 for Technical bids and 2 for price offer or schedule of rate).
- 4.27** **ANTI COMPETITIVE AGREEMENTS/ABUSE OF DOMINANT POSITION:** The Competition Act, 2002 as amended by the Competition (Amendment) Act, 2007 (the Act), prohibits anti- competitive practices and aims at fostering competition and at protecting Indian markets against anti- competitive practices by enterprises. The Act prohibits anti- competitive agreements, abuse of dominant position by enterprises, and regulates combinations (consisting of acquisition, acquiring of control and M&A) wherever such agreements, abuse or combination causes, or is likely to cause, appreciable adverse effect on competition in markets in India. IIITA reserves the right to approach the Competition Commission established under the Act of Parliament and file information relating to anti-competitive agreements and abuse of dominant position. If such a situation arises, then Vendors are bound by the decision of the Competitive Commission and also subject to penalty and other provisions of the Competition Act.
- 4.28** The tenderer who submits false, forged or fabricated documents or conceals facts with intention to win over the tender or procure purchase order; Bid Security of such tenderer firm shall be forfeited and firm shall be liable for blacklisting for a period of not Less than 2 years. The firm shall also be liable for Legal action depending on the facts & circumstances of the case.
- 4.29** If the supplier fails to execute the purchase order and informs IIITA about its inability to execute the order and non-compliance of the purchase order, firm shall be liable for blacklisting for a period of not less than 2 years.
- 4.30** Indian Institute of Information Technology reserves the right to amend or withdraw any of the terms and conditions contained in the Tender Document or to reject any or all tenders without giving any notice or assigning any reason or to cancel the tender. The decision of Director – IIIT-Allahabad shall be final and binding on all.
- 4.31** All disputes are subject to Jurisdiction of Allahabad Courts.
- 4.32** May feel free to contact Purchase Section through email id info.purchase@iiita.ac.in for any queries (Ph: 0532-2922051)
- 4.33** The tender can be cancelled any time before or after award of work at any stage without assigning any reason.
- 4.34** The required material at site must be approved by Engineer In charge.

5 PREQUALIFICATION CRITERIA FOR BIDDER

- 5.1.1** Bidder should have technical experience of having successfully completion Certificate of Composite work during the last 3 years in any IIT/IIIT/NIT/ Government Department/PSU/PSU Banks/Autonomous Bodies/Statutory Bodies/ Central Universities in India & Public listed companies. Before last date of tender submission for the purpose of consideration as technical experience. Bidder should Satisfying below condition with in the last 03 years.



- 5.1.2 Completion certificate of one similar order having worth not less than Rs. **22.24 Lakhs.**
OR
5.1.3 Completion certificate of two similar orders each costing not less than Rs. **13.90 Lakhs.**
OR
5.1.4 Completion certificate of three similar orders costing not less than Rs. **11.12 Lakhs.**

(Attested copies of all the above work Completion certificates should be submitted along with the proposal for sl. no. 5.0).

- 5.2** The bidder should submit average turnover of at least Rs. 8.34 Lakh for the Last 3 financial years (2020-21, 2021-22 & 2022-23). Audited and certified copies of balance sheet, letter mentioning turnover and profit and loss statement of these three years duly certified by chartered accountant should be submitted.
- 5.3** Contractor should be registered in Central/state Government/PSU/Autonomous bodies in appropriate class like CPWD, MES, PWD & any central University etc. (attach documentary evidence).
- 5.4** The bidder should possess a valid Electrical Contractor License issued by Govt. Deptt. of any Indian State.
- 5.5** Bidder should have a registered office in India. Furnish address and registration details.
- 5.6** Any IIT/IIIT/NIT/ Government Department/PSU/PSU Banks/Autonomous Bodies/Statutory Bodies/ Central Universities in India should not have blacklisted the Bidder at any stage. Self-declaration to that effect should be submitted along with the technical bid.
- 5.7** The firm must possess valid GST Registration Certificate.
- 5.8** The firm must submit copy of PF/ESI registration UAN number.

Note: 1. Necessary supporting documents are compulsory as proof in respect of the eligibility criteria mentioned above otherwise disqualified.

2. MSME and startup firms will be exempted on EMD (Earnest money deposit) only.

3. MSME firms technical experience and other prerequisite will not be relaxed.

6 SPECIAL CONDITIONS OF CONTRACT

- 6.1** These instructions are over and above the instructions contained in the enclosed set of tender documents and **override** instructions in case of conflict.
- 6.2 One bid per bidder:** - Each Bidder shall submit only one Bid, either individually or as a partner in a joint venture. A Bidder who submits or participates in more than one Bid (other than as a sub - contractor) shall cause all Bids with the Bidder's participation to be disqualified.
- 6.3 Pre bid Qualification:** It is proposed kindly incorporate - Any pre-bid clarifications if required, then same may be obtained online through the tender site, or through the contact details given in the tender document.
- 6.4 Order of Acceptance:** - It is proposed kindly incorporate that the successful bidder should submit Order Acceptance within 7 days from the date of order.
- 6.5 Rate Quoted:** The currency of all quoted rates shall be Indian Rupees. All payment shall be made in Indian Rupees. The rates are to be quoted by the bidders in Indian Rupees only and payment shall be made to successful bidders in Indian Rupees only. Any statutory applicable taxes such as applicable Tax, etc. should be mentioned separately in the Financial Bid. However, quote should be inclusive of all other levies, statutory taxes and charges etc. and should be delivered at the premises. All prices shall be fixed and shall not be subject to escalation of any description. The rates must be quoted strictly as per the 'Financial Bid Format' provided.
- 6.6 Self-declaration certificate that company is not blacklisted with any of the Govt. Department and other statutory bodies as per point No. 5.6**
- 6.7 Quantity:** The quantity will be as per bill of quantity.
- 6.8 Performance Security:** The performance Security @ 3.0% of the total value of the contract (Excluding Taxes part) will be submitted by the agency in the form of FD / BG/ RTGS before starting the work and the same will be returned after completion of work + another two month and



recommendation of work in charge. Presently 3.0% as per enclosed office memorandum no. DG/CON/Misc./20 dated 31.12.2021.

6.9 Extension in Delivery and Work: Delivery of completion of systems/ components and Work is delayed for reasons of force majeure such as acts of God, Acts of Public enemy, acts of Government, fires, floods, epidemics, quarantine restrictions, illegal strikes and freight embargoes, the Contractor shall within 3 days from the date of such occurrence, give notice to IIT Allahabad in writing of his claim for extension of delivery period. IIT Allahabad on receipt of such notice may agree to extend the supply/contract delivery date as may be reasonable but without prejudice to other terms and conditions of the contract. Unless the extended delivery period is agreed by IIT Allahabad in writing, Tender Number cannot claim the extension of delivery time as a matter of right. IIT Allahabad shall have the right to cancel/ extend the order validity/ levy Liquidated Damage (LD) as appropriate.

The time of delivery and Completion of Work and handing over in satisfactory condition is the essence of the contract and the shipment should be effected as per the schedule. In the event of part supply, IIT Allahabad shall withhold the entire payment until the whole of the supply and work completed as per the order. In case the delivery schedule is not stipulated as essential criteria, contractor may indicate the period of delivery required for them. The compensation for delay of with a maximum rate @ 1.0% (one percent) per week of delay to be computed on per day basis based on quantum of damage suffered due to stated delay on the part of contractor as per CLAUSE NO 2 of GCC of CPWD.

6.10 Defect Liability period: The defect liability period will be six months as per as per CLAUSE NO 17 of GCC of CPWD.

6.11 Security deposit: The security deposit (@ 2.5 % of the total executed value of work will be deducted from the agency bill for 2 months more that defect liability period as mentioned OR agency can submit a Security Deposit in the form of Fixed Deposit/Bank Guarantee of the required amount for the required times.

6.12 DETERMINATION OF THE SUCCESSFUL BIDDER: -The Bidder meeting the minimum eligibility criteria with the lowest bid price in the respective category, subject to arithmetical correction, shall be deemed as the successful Bidder. In the event of more than one bidder with the lowest price bids (say equal), the bidder with the highest 'cumulative annual turnover of the last 3 financial year would be deemed as 'Successful Bidder' with respect to the submission of proof of documents as submitted by the bidder

6.13 Completion period: Work should be completed within **14 weeks** from the receipt of the work order and after site clearance. If, the work delayed beyond the stipulated time of completion penalty of 0.5% per week or part thereof of total cost shall be imposed at the discretion of competent authority. The penalty may be up to 10% of the total accepted bid value. This purchase/Work order will be automatically expired after 14 weeks unless extension is provided by the Institute on request by the supplier. The completion period will be computed on the basis of actual date of start of work or as conformed by agency in writing to start the work at site.

6.14 Forfeiture of bid security: Bid security of a tenderer will be forfeited, if the tenderer withdraws or amends its tender or depreciates from the tender in any respect within the period of validity of its tender. Further, if the successful tenderer fails to furnish the required performance security within the specified period, its bid security will be forfeited.

6.15 Completion of Work: Before finally leaving site, all the Bidders stores, plant, tools and rubbish shall be removed and the site left clean and tidy. The space allocated by Owner shall be vacated and handed over to the Owner.

6.16 Water and Electricity for Construction work: Water & Electricity bidder arranges itself. The same will be provided on chargeable basis on written request of the bidder on construction work only.

6.17 Working and Safety Regulations: The bidder shall observe all statutory safety and legal requirements regulations issued by Central and State Governments applicable to the work as well as any local regulations applicable to the site issued by the Owner or any other authority.

6.18 Setting out Works: The bidder shall set out the works and responsible for the true and perfect setting out of the same and for the correctness of the positions, levels, dimensions and alignment of all parts thereof, if at any time any error shall appear during the progress of any part of works the bidder shall at his own expenses rectify such error, if called upon to the satisfaction of the Owner.



- 6.19** All the work will be executed as norm and specification of CPWD and as specified in bill of quantity. If any other work will require to be under taken related to this works or any alteration in work, will be executed on the basis of approved rates after prior approval.
- 6.20 Payment:**
- 6.20.1 Agency can raise running bill as per progress of work. Accordingly, the payment will be made after verification by the engineer in charge up to 2nd & final bill.
- 6.20.2 At the time of processing any bill for payment, agency should ensure that all the terms and condition of the tender documents has been fulfilled and deduction if any have been proposed. The same will be duly verified by Indenter/Engineer/Section Incharge.
- 6.20.3 Applicable TDS and other deductions as per provisions will be recovered (deducted) from the payment(s).
- 6.20.4 Water Charges @ 1% (inclusive all taxes) of the executed amount and electricity charges as per load or on the basis of actual reading (if meter has been installed) will be deducted from the bill of the agency on construction only.
- 6.20.5 Labour welfare cess as per prevailing rate has to be submitted by the contractor and submit the records or recovered from the agency bill as applicable.
- 6.21 Penalty:**
- 6.21.1 Applicable penalty will / may be recovered from the payment(s).
- 6.21.2 Penalty may / will be deducted (recovered) from the Performance security. However, the penalty may / will be waived off for non-performance due to reasons mentioned in the Force Majeure or because of IIITA.
- 6.22 Price Basis and applicable Tax claim:** Vendor should clearly mention the Rate of applicable GST separately, if firm will not mention the Taxes clearly on their Price Quotation, IIIT - Allahabad will assume that the quoted price is inclusive of all and no extra amount in later stage shall be paid by IIIT, Allahabad on account of Taxes. In case of tax exemption or lower TDS, vendor has to submit letter from Government Authority for tax exemption or lower TDS (to be submitted along with each of the invoice(s)).
- 6.23** If it is found that items are fake or of sub-standard quality and not conforming to the required specifications, the firm will have to replace the fake/ sub-standard items with genuine ones immediately but they will also be liable to be blacklisted.
- 6.24** If the work carried out by the bidder is not found acceptable, IIIT Allahabad has the complete right to reject the same without giving any compensation.
- 6.25 Force Majeure:** The vendor (bidder) will not be held responsible for breach of executing any obligation or delay in executing any obligations during below given circumstances / conditions.
- 6.25.1 War, Riots, Strike, Fire, Flood, Earthquake, Storm, Epidemic breakout, Power failure, Theft etc.
- 6.25.2 Any Governmental priorities (Necessary proof for validation viz. Govt. Gazette notifications, Leading Newspaper reports, etc. should be made available).
- 6.26** Rate quoted by the firm should not be higher than the prevailing market rate.
- 6.27 Dispute Resolution:** In the event of any dispute arising out of or in connection with this Order, the parties shall use their best endeavor to resolve the same amicably and if the dispute could not be settled amicably, the matter shall be settled in the court under Prayagraj (Allahabad)jurisdiction only. The final payment will be released only after the vendor (bidder) complies with above-mentioned clause.
- 6.28 Right to alter Tender:**
- 6.28.1 IIITA reserves the right to alter the Tender terms and conditions at any time before submission of the bids.
- 6.28.2 IIITA reserves the right to modify, amend, alter and/or cancel the entire RFP at any stage without assigning any reason whatsoever. IIITA's decision in this regard will be final and binding on all vendors (bidders).
- 6.29** Conditional quotations are liable to be rejected. In the event of acceptance, Director's decision will be final. The rates should be quoted as per our required specifications.
- 6.30** The rates should be quoted in Indian rupees. As per our BOQ.



- 6.31** The right to accept or reject any tender/ quotation, partially or wholly, including lowest quotation without assigning any reason whatsoever thereof or incurring any liability thereby is reserved with the Director, IIIT, Allahabad. The Director, also reserves the right to split the tender and place the orders for supply of item(s), mentioned in the enquiry letter on one or more tenderer. The decision of the Director, with regard to enforcement of these terms and conditions herein contained, as a result of breach of these conditions by successful Tenderer/s, shall be final and the Director, shall not be liable for any damage/liability put forth by the Tenderers at any stage of the transaction arising out of the enforcement of any or all herein contained terms and conditions.
- 6.32** It is mandatory that all the documents submitted must be legible and self-attested and stamped. Otherwise it is likely to be rejected.
- 6.33** The Bid Security shall be returned to the bidder(s) whose offer is not accepted by the Institute within 15 days after finalization and award of the contract without any interest. Unsuccessful bidders may collect the Bid Security (within next 10 days after finalization & award of the contract) from Purchase Section, IIIT-A between 3PM and 5PM on any working day after providing a copy of authorization letter and any Photo Identity Card. After these 10 days Bid Security will be sent by registered post to the postal address provided by the firm/bidder as mentioned in the tender document. Representative may also collect the EMD on behalf of the bidder, after providing an authorization letter from the bidder along with a copy of his photo identity card. If the return of Bid Security is delayed for any reason, no interest/penalty shall be payable to the bidder.
- 6.34** Complete Postal address of tenderer/ bidder along with Email ID and mobile number (to dispatch the Bid Security to unsuccessful bidder).
- 6.35** Tenderers responding to this enquiry shall be deemed to be agreeable to the terms and conditions herein contained. These terms and conditions shall be binding on the part of the successful tenderer. Tender must be quoted in prescribe format on the company/firm letter head.
- 6.36** Quotation should be addressed to JR(S&P), Indian Institute of Information Technology, Devghat, Jhalwa, Prayagraj-211015 (U.P.) India.
- 6.37** All the work will be executed as norm and specification of CPWD and as specified in bill of quantity. If any other work will require to be under taken related to this works or any alteration in work, will be executed on the basis of approved rates after prior approval.

(Purchase section)

I/We duly certified that the information provided in the proforma is true. I/We agree to the contents of terms & condition of the quotation/tender.

Seal and Signature of the Proprietor/Authorized Representative



7 AWARD OF CONTRACT:

- 7.1** Two bid system shall be adopted, i.e. Two envelop (Cover) **2 (1st envelop for Techno-Commercial Offer or technical bid & 2nd envelop for Financial bid or schedule of rate only).**
- 7.2** IIT-Allahabad shall award the contract to the eligible Bidder whose bid has been determined as the lowest evaluated Financial Bid. If more than one Bidder happens to quote the same lowest price, IIT-A reserves the right to award the contract to more than one Bidder or any Bidder with the lowest price bids (say equal), the bidder with the highest 'cumulative annual turnover of the last 3 financial years would be deemed as 'Successful Bidder' with respect to the submission of proof of documents as submitted by the bidder.
- 7.3** The lowest rate will not be the only basis of claim to get the order.
- 7.4 Purchaser's right to vary quantities at the time of award.**
- 7.5** Bidders having GST Registration Certificate are required to indicate their GST Registration number and shall have to enclose a self-certified copy of GST Registration Certificate. If bidder has opted for composition scheme under GST ACT 2017, they have to declare themselves as "Composition Scheme" in the bid and indicate their Registration number in the Price Bid. Bidder shall have to enclose a certificate in original from a practicing Chartered Accountant / Cost & Management Accountant / Company Secretary confirming that Bidder is eligible to opt the scheme and has fulfilled all the conditions as mentioned in notification in this regard. In addition, bidder has to enclose the self-attested GST Registration Certificate in the commercial bid. If the Bidder is unregistered i.e. exempted from GST registration, they have to declare themselves as "GST Unregistered Bidders" in the bid and shall have to enclose GST Exemption documents i.e. certificate in original from Practicing Chartered Accountant / Cost & Management Accountant / Company Secretary that Bidder is fulfilling all the conditions prescribed in GST Act, 2017 to make him exempt from registration.



8.0 ANNEXURES

8.1 ANNEXURE – I: LETTER OF BID

(To be submitted along with Technical Bid)

Dated: / /2023

To,
Joint. Registrar (Stores& Purchase)
Indian Institute of Information Technology
Deoghat, Jhalwa
Prayagraj - 211015

Sub: Submission of Bids against Tender Ref. No.: IIIT-A/SP/1281/2169 /2023.

We, the undersigned, declare that:

1. We have examined and accepted all the terms and conditions of the tender reference number _____ and ready to offer the required services accordingly required in tender document.
2. We offer to execute in conformity with the Bidding Documents for “**Renovation work in Prayas classes at IIIT-Allahabad**”.
3. Our bid shall be valid for a period of 90 days from the date fixed for the bid submission deadline in accordance with the Bidding Documents and shall remain binding upon us and maybe accepted at any time before the expiry of the period.
4. If our bid is accepted, we commit to submit a Performance Security within 15 days from the date of issuance of the work/supply order.
5. We also declare that the Government of India / any other Government body/ any other organization has not declared us ineligible or blacklisted us on charges of engaging in corrupt, fraudulent, collusive or coercive practices or any failure/lapses of serious nature.
6. We also accept all the terms and conditions of this bidding document and undertake to abide by them, including the condition that you are not bound to accept highest ranked bid/ lowest bid or any other bid that you may receive.

Yours sincerely,

Authorized Signatory

(Authorized person shall attach a copy of Authorization for signing on behalf of bidding company)

Full Name and Designation

(To be printed on Bidder's letterhead)



8.2 ANNEXURE – II: CHECKLIST FOR BID SUBMISSION

SL. NO.	COMPLIANCE STATEMENT/QUERY	BIDDER'S CONFIRMATION (YES/NO), WITH CLARIFICATION/DETAILS AS REQUIRED	Reference page no. of Tender Documents
1	2	3	
1.	Confirm that you have submitted your bid for “Renovation works in Prayas classes at IIIT-A”.	(i) CONFIRMED / NOT QUOTED [Strike out whichever is not applicable]	
2.	Confirm that you have attached the documentary evidence as desired in Pre-Qualification Criteria	CONFIRMED(YES/NO)	
3.	The bidder should have submitted annual turnover for the Last 3 financial years (2020-21, 2021-22 & 2022-23). Audited and certified copies of balance sheet, letter mentioning turnover and profit and loss statement of these three years duly certified by chartered accountant should be submitted.	CONFIRMED(YES/NO) Turnover in Rupees 2020-21 _____ (Rs) 2021-22 _____ (Rs) 2022-23 _____ (Rs)	
4.	Confirm that you have attached the documentary evidence as desired in Pre-Qualification Criteria 5.1 to 5.8.	CONFIRMED(YES/NO)	
5.	Confirm that the bidder must not have been blacklisted by any IIT/IIIT/NIT/ Government Department/PSU/PSU Banks/Autonomous Bodies/Statutory Bodies in India at the time of submission of bid. [Attach an undertaking to this effect]	CONFIRMED(YES/NO)	
6.	Confirm that the company must have its GST Registration certificate.	CONFIRMED(YES/NO)	
7.	Confirm that the Quality of materials should fulfill the specification as mentioned in bill of quantity.	CONFIRMED(YES/NO) GSTN NO _____ (MENTION THERE)	
8.	Confirm that the work should be carried out as per specification and norms of CPWD.	CONFIRMED(YES/NO)	
9.	Confirm that the Contractor /Vendor/Bidder accept all the terms and condition of Special condition of contract.	CONFIRMED(YES/NO)	
10.	Confirm that quoted price of the prescribed Supply, laying , material is on FOR / designated IIIT, ALLAHABAD office/store, including transportation charges, taxes etc. all complete.	CONFIRMED(YES/NO)	
11.	Confirm there is no deviation/ clarification/ cutting/ overwriting in Price Schedule.	CONFIRMED(YES/NO)	
12.	Confirm the Completion Period schedule is accepted as per Tender Documents provision.	CONFIRMED(YES/NO)	



SL. NO.	COMPLIANCE STATEMENT/QUERY	BIDDER'S CONFIRMATION (YES/NO), WITH CLARIFICATION/DETAILS AS REQUIRED	Reference page no. of Tender Documents
13.	Copy of PAN, Income Tax Return certificate submitted.	CONFIRMED (YES/NO) PAN NO _____ (MENTION THERE), INCOME TAX RETURN CERTIFICATE LAST THREE YEARS AS PER TENDER DOCUMENTS.	
14.	HSN CODE(if Applicable)	CONFIRMED(YES/NO)	
15.	Confirm that the duly filled and scanned copy of all ANNEXURES FROM I TO VIII submitted.	CONFIRMED(YES/NO)	
16.	Confirm that the quoted price is firm and fixed for entire contract period till completion of work unless there is separate provision in the RFQ document.	CONFIRMED(YES/NO)	
17.	Confirm that Bidder's Bid is based on total compliance to the provisions of Tender document and subsequent amendment and corrigendum, if any, without any deviations and the quoted price is based on all the terms and conditions and specifications of Tender document	CONFIRMED(YES/NO)	
18.	Confirm that the Price Reduction Schedule (PRS) as per Tender provision is acceptable and certify that there has been no decrease in the price of price variation indices and, in the event of any decrease of such indices during the currency of this contract, we shall promptly notify this to the purchaser and offer the requisite reduction in the contract rate.	CONFIRMED(YES/NO)	
19.	Confirm that the bidder accepts all the terms and condition, methodology, GCC and all Annexure of entire tender documents.	CONFIRMED(YES/NO)	
20.	Confirm that proof of remittance with transaction number of EMD / exemption certificate is attached.	CONFIRMED(YES/NO)	



8.3 ANNEXURE – III: BILL OF QUANTITY (BOQ)

8.3.1 BILL OF QUANTITY FOR RENOVATION WORK IN PRAYAS CLASSES AT IIIT-A

BILL OF QUANTITY

Name of Work : RENOVATION WORK IN PRAYAAS CLASSES AT IIT-A. (CIVIL WORK DETAIL)					
S.No.	Particulars	Quantity	Unit	Rate	Amount
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. (DSR 2021, 2.8.1)	62.89	cum		
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources) (DSR 2021, 4.1.10)	27.22	cum		
3	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand) (DSR 2021, 6.1.1)	12.99	cum		
4	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand) (DSR 2021, 6.4.2)	18.1	cum		
5	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. (DSR 2021, 2.25)	58.75	cum		
6	CARRIAGE OF MATERIALS By Mechanical Transport including loading,unloading and stacking Lime, moorum, building rubbish 1 km (DSR 2021, 1.1.1)	182.09	cum		
7	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :25 mm thick. (DSR 2021, 11.26)	316.92	sqm		
8	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and`pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete. (DSR 2021, 11.27)	36.94	sqm		
9	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm. (DSR 2021, 11.41.2)	11.42	sqm		
10	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.(DSR 2021, 8.31)	57.75	sqm		
11	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. (DSR 2021,15.56)	758.24	sqm		



12	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) (DSR 2021,15.2.1)	9.87	cum		
13	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m. All kinds of soil (DSR 2021,2.28.1)	255.09	sqm		
14	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : Of area 3 sq. metres and below (DSR 2021,15.13.1)	12	each		
15	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : Of area 3 sq. metres and below (DSR 2021,15.13.2)	1	each		
16	CEMENT PLASTER (IN COARSE SAND) 12 mm cement plaster of mix : 1:6 (1 cement: 6 coarse sand) (DSR 2021,13.4.2)	873.58	sqm		
17	CEMENT PLASTER (IN COARSE SAND) 15 mm cement plaster on rough side of single or half brick wall of mix: 1:6 (1 cement: 6 coarse sand) (DSR 2021,13.5.2)	63.41	sqm		
18	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws. (DSR 2021,9.21.2)	36.12	sqm		
19	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (DSR 2021,10.1)	267.34	Kg		
20	Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts, embedding hold fasts in cement concrete blocks of size 15 x 10 x 10 cm with cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size), painting two coats of approved wood preservative to sides of chowkhats and making good the damages to walls and floors as required complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. Door chowkhats (DSR 2021,14.2.1)	3	each		
21	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : 300x16 mm (DSR 2021,9.96.1)	18	each		
22	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 300x10 mm (DSR 2021,9.97.1)	18	each		
23	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :125 mm (DSR 2021,9.100.1)	36	each		
24	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc complete.Twin rubber stopper. (DSR 2021,9.101.2)	14	each		
25	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid. (DSR 2021,17.2.1)	2	each		



26	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests. (DSR 2021,17.1.1)	2	each		
27	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: 17.7.2 White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap. (DSR 2021,17.7.2)	4	each		
28	Providing and laying damp-proof course 40mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 12.5mm nominal size derived from natural sources) (DSR 2021,4.10)	3.38	sqm		
29	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). (DSR 2021,5.3)	4.65	cum		
30	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more (DSR 2021,5.22A.6)	692.63	kg		
31	Centering and shuttering including strutting, propping etc. and removal of form work for : Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc. (DSR 2021, 4.3.2)	35.21	sqm		
32	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.(DSR 2021,13.80)	1151.92	sqm		
33	Distemping with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification. Two or more coats on new work. (DSR 2021,13.42.1)	586.84	sqm		
34	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm) (DSR 2021,13.46.1)	539.53	sqm		
35	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work. (DSR 2021,13.61.1)	214.04	sqm		
36	Supply & Fixing of new mirror of 5mm thick of saint gobain / Modi guard make with back support PVC sheet 6mm thickness and framing with 2" width provision of mounting / hanging arrangement.	3	sqm		
37	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work 25 mm dia nominal bore. L.S. Quantity (DSR 2021,18.12.3)	120	metre		
38	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall : 15 mm dia nominal bore. L.S. Quantity (DSR 2021,18.11.1)	20	metre		



39	Cutting holes of required size in brick masonry wall for fixing of exhaust fan including providing and fixing 300 mm dia PVC pipe conforming BIS-12818 and making good the same etc. complete as per direction of Engineer-in-charge. (DSR 2021,14.81)	2	each		
40	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :20 mm nominal bore (DSR 2021,18.17.1A)	1	each		
41	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore. (DSR 2021,18.49.1)	4	each		
42	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 15 mm nominal bore (DSR 2021,18.52.1)	2	each		
43	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 15mm nominal bore. (DSR 2021,18.53.1)	6	each		
44	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer - in - charge.(DSR 2021,17.16A)	2	each		
45	Providing and fixing nahani Trap with S.S. or C.P. brass jali.	4	each		
46	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate (DSR 2021,11.3.1)	16.7	sqm		
47	S& F of PVC Pipe of 150 mm dia of 6kg/cm capacity with all requires fittings for proper completion of work in all respect.	55	metre		
48	CEMENT PLASTER WITH A FLOATING COAT OF NEAT CEMENT 12 mm cement plaster finished with a floating coat of neat cement of mix : 1:3 (1 cement: 3 fine sand). (DSR 2021,13.7.1)	16.7	sqm		

Estimate for Supply and Installation of Electrical fittings in new Toilet of Pryass Classes behind BH-III at IIITA.				
Sn.	DSR22 / MR	Item Description	Unit	Qty.
	11.6	Supplying and embedding following dia G.I. pipe (medium class) in pole collar / foundation (during casting) for cable entry including bending the pipe to the required shape complete as required.		
	11.6.2	40 mm dia	metre	15
	11.3	Supply & Erection of metallic pole of following length in cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling etc. as required.		
	11.3.1	Above 4.5 metre and upto 6.5 metre	Each	3
	9.1	Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.		
	9.1.7	Cable size:-3 X 10 sq. mm (22mm)	each	6
	7.10	Supplying and fixing cable route marker with 10 cm X 10 cm X 5 mm thick G.I. plate with inscription there on, bolted /welded to 35 mm X 35 mm X 6 mm angle iron, 60 cm long and fixing the same in ground as required.	each	10
	7.1	Laying one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.		
	7.1.1	Upto 35 sq.mm	Metre	50
	7.7	Laying and fixing of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kV grade of following size on wall surface as required		
	7.7.1	Upto 35 sq.mm (clamped with 1mm thick saddle)	Metre	10



1.24	Supplying & fixing following modular switch / socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.		
1.24.1	5/6 switch	Each	8
1.24.3	15/16 switch	Each	4
1.24.5	6 pin 15/16 socket outlet	Each	2
2.3	Supplying & fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240V, on surface/recess, complete with tinned copper busbar, neutral busbar, din bar, interconnection, powder painted including earthing etc, as required. (but without MCB/RCCB/Isolator)		
2.3.1	6 way Double Door	Each	1
2.14	Supplying & fixing following rating, double pole (single phase and neutral), 240V, residual current circuit breaker (RCCB) , having a sensitivity current 30mA in the existing MCB DB complete with connections, testing and commissioning etc as required.		
2.14.1	25A	Each	1
2.10	Supplying & fixing 5A to 32 A rating , 240/415V, 10kA, C curve MCB suitable for inductive load of following poles in the existing MCB- DB complete with connection, testing and commissioning etc. as required.		
2.10.1	Single pole	Each	4
2.11	Supplying & fixing single pole blanking plate in the existing MCB DB complete etc. as required.	Each	2
1.27	Supplying and fixing following size/ modules, GI box / PVC box alongwith modular base & cover plate for modular switches in recess etc. as required.		
1.27.1	2 Module (75mmX75mm)	Each	1
1.27.2	3 Module (100mmX75mm)	Each	4
1.27.4	6 Module (200mmX75mm)	Each	1
1.3	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.		
1.3.3	Group C Point	point	10
1.49	Numbering of ceiling fan/ exhaust fan/ fluorescent fittings as required.	Each	10
1.50	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.		
1.50.1	upto 450mm sweep	Each	2.00
1.51	Extra for fixing the louvers/ shutters complete with frame for a exhaust fan of all sizes.	Each	2
1.33	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/ wooden block including connections etc. as required.	Each	10.00
1.14	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.		
1.14.1	2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	meter	50
1.14.3	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	meter	10
	Total A		
MR	Supply of Exhaust Fan 300 mm sweep, 1200/1400 rpm single phase, ISI Mark, Heavy Duty Toilet Exhaust Fan, IS & IP 55, make -Bajaj, Crompton, Havells, Usha or approved equivalent make	Nos.	2.00
MR	Providing and Fixing of Mosquito net for Exhaust Fan	Nos.	2.00
MR	Providing and Fixing of LED light with fitting (2x 8 to 10 Watt LED light)	Nos.	4.00
MR	Providing and Fixing of LED light with fitting (1x 5 to 7 Watt LED light)	Nos.	2.00
MR	Providing and Fixing of 18/20 watt LED batten Tube light with fitting	Nos.	2.00



MR	Supply of 3 core 10 sqmm Aluminium Armoured cable , 1.1 kV grade, XLPE insulated PVC sheathed Armoured Aluminium cable, IS 1554 PART-I, Make- KEI, Gloster, National, Seichem, Havells or approved make	Metre	60
MR	Supplying & installation of LED post top pole light , 35/40 Watt, IP55/66, ISI mark complete in all manner , Water proof Weather proof outdoor light, Make- WIPRO, Philips, Crompton, Havells or approved make	Each	3
MR	Pole Mounted Junction Box /cut out box/ fusebox for road light /street/park lightfor single /three phase ,4 core cable use , high wattage based light system for industrial applications size approx (HxWxD inside)240x130x110 model/produict code- GSJB-2817 , Make Sintex, SMC product , single pole 6/10 am, 10kA, C type MCB, 3 phase terminal and connector rail, IP55, complete in all manner. Or MS BOX, 16SWG,CRCA sheet, 2 powder coat aluminium paint, water and weather proof, with bakalite sheet back insulation, 30A,500V connector 8way,with locking arrangement approximate size – 200 x 200 x 100mm, with mounting clamp and complete in all manner as per IS	Nos.	3

Note: The mentioned quantity may vary according to CPWD manual (* Clause No).

Taxes should be shown separately. Rate should be quoted in prescribed financial file(.xls format).

Yours faithfully,

(Signature of Authorized Signatory)

Name:

Designation:

Company seal:

Place:

Date:



9.0 AWARD OF WORK:

9.1 ANNEXURE – IV: UNDERTAKING

To,
Jt. Registrar (Stores& Purchase)
Indian Institute of Information Technology
Deoghat, Jhalwa
Prayagraj - 211015

UNDERTAKING

I, _____, of M/s. _____ having registered office at _____, do hereby undertake that my company, M/s. _____, will not withdraw or modify its bids submitted for Tender No. _____ dated _____ for the “**Renovation work in Prayas classes at IIIT- Allahabad**” during the period of validity of the bids.

I, further undertake to have understood that if my company M/s. _____ withdraws or modifies its bids or if it fails to sign the contract or fails to submit a performance security within the stipulated deadline if the work is awarded to it, M/s. _____ will be suspended for a specified time period at least for two years from being eligible to submit bids for contracts with the Indian Institute of Information Technology, Allahabad.

I, further certify that in the event of any decrease in the price/ price variation indices during the currency of this contract, we shall be promptly notify this to the purchaser and offer the requisite reduction in the contract rate.

Yours faithfully,

(Signature of Authorized Signatory)

Name:
Designation:
Company seal:
Place:
Date:



9.2 ANNEXURE – V: DECLARATION

DECLARATION

(Regarding ownership and / or employment of IIIT-A Employees)

(To be filled in by the tenderer, signed and submitted along with tender papers.)

Ref. No.: IIIT-A/SP/1281/ 2169/2023

Date: / /2023

I/We hereby declare that I/we or Partners or Directors of our concern do not have any such person under my/or employment who has retired/ resigned/ removed/ dismissed from IIIT-A during the last two years.

I/We hereby declare that I/We or partners or Directors of our concern have the following under my/our employment who has/have retired/resigned/removed/dismissed from IIIT-A during the last two years.

I/We hereby declare that I/We or partners of directors are not related to any employees of IIIT-A

Sl no	Name of person	Date of leaving IIIT-A	Reason for leaving IIIT-A

OR

I/We hereby declare that the following persons employed in IIIT-A and any other IIIT-A Project/Station are related to me/us for partners or directors of our concern as per details indicated.

Sl no	Name of person	Designation and Name of project or Office of IIIT-A	Relationship

Note: The near relative shall include wife, husband, parents and grandparents, children and grandchildren, brothers, sisters, uncles, aunts and cousins and their corresponding in-laws.

(Signature of Tenderer)

(Name)

Witness Signature

Name:

Place:

Date:

Note:

1. Please tick whatever is applicable and delete/cut whatever is not applicable
2. Please attach extra sheet if necessary.



9.3 ANNEXURE – VI: BIDDER DETAILS

Sl	Name of the Company/ Bidder	To be filled by bidder (Documentary proof must be attached as applicable)
1	Registered office Name	
	Full address of the Registered office	
	Details of contact person(s)	
	Name	
	Designation	
	Telephone number(s)	
	Email	
2	List the major clients with whom your organization has been associated and submit documentary proof	a.
		b.
		c.
		d.

(Signature of Tenderer)

(Name)

(Seal)

Place:

Date:



**9.4 ANNEXURE –VII: MANDATE FORM FOR ELECTRONIC FUND
TRANSFER/RTGS TRANSFER & DETAILS OF BID SECURITY
TRANSACTION**

Ref. No.: IIIT-A/SP/1281/ 2169/2023

Date: / /2023

To,
Registrar (Acting)
Indian Institute of Information Technology Allahabad
Deoghat, Jhalwa
Prayagraj - 211015

Sub: Authorization for release of payment/ dues from Indian Institute of Information Technology, Allahabad through Electronic Fund Transfer/ RTGS Transfer.

1. Name of the Party/Firm/Company/Institute:

2. Address of the Party:

City: _____

Email ID: _____ Mob: _____

Permanent Account Number: _____

3. Particulars of Bank:

Bank Name: _____ Mob: _____

Branch Name: _____ Mob: _____

PIN Code: _____ Mob: _____

IFSC Code (11 Digit Alpha-Numeric Code):

Account Type: Savings/ Current/ Cash Credit: _____

Account Number:

DECLARATION

I hereby declare that the particulars given above are correct and complete. If any transaction delayed and not effected for reasons of incomplete or incorrect information, I shall not hold Indian Institute of Information Technology responsible. I also undertake to advise any change in the particulars of my account to facilitate updating of records for purpose of credit of amount through NEFT/RTGS Transfer.

Place: _____

Date: _____

Signature & Seal of the Authorized Signatory of the Party

Details of BID SECURITY are as follows (if submitted, attach a photocopy) *:

Bid security amount (in Rs.)	Bank Name	Issue Date	Valid till date	If transfer online			If MSE (mention YES)
				Mention NEFT/RTGS	Transaction no.	Transaction date	



9.7 ANNEXURE-VIII

AGREEMENT

An agreement made this on _____ day of _____ between Registrar, Indian Institute of Information Technology, Allahabad _____ (herein referred to as Employer) of the part and M/s _____ (herein referred as the Contractor of the other part).

Whereas in response to call for tender for the _____ as per tender paper at _____ hereto contractor has submitted a Tender as per Annexure 'A' hereto and whereas the said Tender of the contractor has been accepted the total estimated contract value of Rs. _____ as per copy of letter of acceptance of Tender No. _____ Dated _____ completed with enclosures at the accepted rates and agreed deviations from Tender Papers as per annexure hereto. Now this agreement witness that consideration of premises and the payment to be made by the Employer to the contractor provided for herein below the contractor shall supply all equipment's and materials and executed and perform all works for which the said Tender of the contractor has been accepted strictly according to the various provisions in Tender papers hereto and upon such supply execution and perform to the satisfaction of the Employer, the employer shall pay to the contractor at the several rates accepted as per the said annexure and in terms of provisions herein.

In witness whereof the parties have here unto set and subscribed their respective hands and /or seals the day and years respectively mentioned against their respective signatures.

Signed and delivered at _____ by Sri _____

For and on behalf of M/s _____ the contractor within named in the presence.

For and on behalf of company

Proprietor / Authorized Signatory

Witness:

1. Signature
Name in Block Capitals _____
Address _____

2. Signature
Name in Block Capitals _____
Address _____

Signed and delivered at _____ by Sri _____ Registrar, Indian Institute of Information Technology, Allahabad in the presence of:

Registrar

Witness:

1. Signature
Name in Block Letter _____
Address _____

2. Signature
Name in Block Letter _____
Address _____

Signature Not Verified

Digitally signed by Ajit kumar
Date: 2023.12.28 17:07:04 IST
Location: eProcure-EPROC